





SIGNS AND DECALS

FOR THE MANAGEMENT OF SITE CONTROL.

2023



All signs are available in English and/or Spanish

100 YEARS

Order from: Carroll Printing & Promotions
713-228-9331 | CarrollPrinting.com | Bryan@CarrollPrinting.com



CONTENTS BY CATEGORY

FACILITY FRONT

CS-001: Welcome To ___ Plant	1
CS-124: Safety	1
CS-152: Downtown Plant	1
CS-002: Notice PPE Required	1
CS-151: Pyro PPE	1
CS-007: Health Safety Tanker	1
CS-123: Tanker Drivers	1
CS-003: Welcome To Facility Spanish	1
CS-004: Welcome To Facility English	1
CS-080: Drive Safely	1
CS-207: In-Bond Truck Entrance	1
CS-005: Don't Forget To GOAL	1
CS-006: Days Without Injury	1
CS-008: Site Safety Rules ES	1
CS-129: Caution Loader Has Right ES	1

TRAFFIC / PARKING

CS-014: All Visitor Back In	2
CS-149: Slow Safety Bumps	2
CS-191: First Motion Forward	2
CS-195: Stop Look Listen	2
CS-170: Stop Listen Railcars	2
CS-026: Speed Limit 5	2
CS-023: Visitor Parking	2
CS-171: Employee Parking	2
CS-024: Visitor Vendor Park	2
CS-034: Enter Only	2
CS-035: Exit Only	2
CS-036: Exit Only	2
CS-196: Keep Right	2
CS-197: Keep Left	2
CS-234: Wrong Way ES	2
CS-022: Loader Has Right Of Way	2
CS-025: One Way Arrow Black BG	2
CS-178: No Parking	2
CS-229: Left Hand Traffic ES	2
CS-120 No Trespassing Camera	2
CS-253 No Trespassing ATVs	2
CS-259 STOP Check Gangway	2
CS-260 STOP Secure Gangway	2

PEDESTRIAN

CS-031: Caution Heavy Equipment	3
CS-032: Caution Fork Lift Area	3
CS-033: Caution Trucking Area	3
CS-135: Pedestrian Traffic	3
CS-099: Wrong Way	3
CS-156: STOP	3

CS-132: Stop Here Pedestrian Right	3
CS-157 Stop Watch For Pedestrian	3
CS-097: YIELD	3
CS-168: Do Not Enter	3
CS-134: Pedestrian Crossing	3
CS-160: Speed Bumps Ahead	3
CS-158: Rail Road Crossing Circle	3
CS-179: Caution Right	3
CS-180: Caution Left	3
CS-181: Caution Bicyclists	3
CS-137: Caution Pedestrian Crossing	3
CS-138: Caution Slow Ped Traffic	3
CS-136: Warning Door Not Ped	3
CS-139: Slow Watch For Peds	3

SITE MANAGEMENT

CS-193: Caution No Berm	4
CS-140: Slow Proc Caution	4
CS-141: Slow Dang. Intersec	4
CS-176: Caution Ped Xing	4
CS-130: STOP Contact Oper	4
CS-143: Seat Belts Must Be	4
CS-142: Indicator Light	4
CS-144: Sweeper Right Way	4
CS-145: Caution Speed Bumps	4
CS-146: Danger RR Crossing	4
CS-148: Slow High Traffic	4
CS-147: Not A Thruway	4
CS-165: Chute Wash Area	4
CS-182: Orange Material Sign	4
CS-150 Shut Off Fuel Pump	4
CS-166: Noise Level In This Area dBA	4
CS-155: Stop Back Up Go	4
CS-020: No Food Drink Smoke Phone	4
CS-021: Tobacco Free Workplace	4
CS-216: Desig Smoke Extinguish	4
CS-217: Desig Smoking Area	4
CS-243: No Smoking	4
CS-220: Handicap Parking	4
CS-221: No Parking ES	4
CS-247: First Aid Kit	4
CS-009: Attention Tap Horn	5
CS-010: Mine Office Must Sign In	5
CS-011: Ready Mix Office Sign In	5
CS-018: Vendor Safety Parking	5
CS-219: First Motion Wheel Chock	5
CS-227: All Visitor/Vendor Check In ES	5
CS-228: Drivers Do Not Exit ES	5
CS-231: No Truck Beyond ES	5

CONTENTS BY CATEGORY

[illegible]

CONTENTS BY CATEGORY

CAUTION

CS-092: Caution N-P Conf. Space	10
CS-184: Caution Fall Hazard.	10
CS-264: Caution Public Highway	10
CS-186: Caution Fall Hazard.	11
CS-103: Caution Conveyors Start.	11
CS-104: Caution Do Not Walk Under	11
CS-211: Caution Tripping Hazard	11
CS-202: Caution Mask Required E/S	11
CS-203: Caution Foul Point Cars	11
CS-226: Caution Ped Crossing ES	11
CS-248: Slippery When Wet	11
CS-213: Caution Enter Scale Slowly.	11
CS-218: Caution Watch Your Step	11
CS-214: Caution Overhead Conveyor.	11
CS-047: Authorized Personnel Only	11
CS-119 Caution Icy Stairs Handrails.	11
CS-131 Caution PPE Required	11
CS-208 Loader Has Right Of Way	11
CS-265 Pedestrian Stockpile Aware	11

WARNING

CS-061: Warning Dust Hazard	12
CS-068: Warning Loud Noises	12
CS-069: Warning High Noises.	12
CS-095: Warning High Voltage	12
CS-096: Warning Haz Voltage	12
CS-101: Warning Exposed Parts.	12
CS-100: Warning Moving	12
CS-115: Warning Loud Noise	12
CS-189: Warning Fall Hazard	12
CS-051: Warning Lock Out Tag Out	12
CS-059: Warning Eye Hazard Risk.	12
CS-210: Warning Entanglement	12

DANGER

CS-040: Danger Corrosive Liquids	13
CS-041: Danger Explosive Hazard	13
CS-058: Danger Eye Hazard.	13
CS-072: Danger Haz Waste Storage	13
CS-075: Danger Hazardous Waste.	13
CS-078: Danger Gasoline	13
CS-079: Danger Flammable	13
CS-042: Danger Battery Charging E/S	13
CS-049: Danger Risk Serious Injury	13
CS-055: Danger Hazardous Vapor	13
CS-215: Danger High Voltage 4160.	13
CS-053: Danger Lock Out tag Out	13

CS-016: Danger Deep Water	14
CS-205: Danger Tower Plug	14
CS-206: Danger Air Compressor.	14
CS-081: Danger Diesel Fuel	14
CS-082: Danger Propane	14
CS-105: Danger/Smoking/Flames.	14
CS-087: Danger Permit Required	14
CS-204: Danger Do Not Enter E/S	14
CS-084: Danger Diesel Fuel	14
CS-085: Danger Propane	14
CS-086: Danger Gasoline	14
CS-159: Danger Ammonia	14
CS-174: Danger Hydraulic Oil.	14
CS-194: PPE Required Am.	14
CS-088: Danger Confined Space	15
CS-090: Danger Confined Space	15
CS-091: Danger Confined Space	15
CS-239: Danger 480 Volts.	15
CS-093: Danger Elec Haz E/S	15
CS-094: Danger Elec Haz.	15
CS-098: Dan High Voltage	15
CS-102: Danger Keep Off	15
CS-185: Danger Fall Hazard	15
CS-190: Danger Fall Hazard.	15
CS-107: Danger Comp Gas	15
CS-054: Danger LOTOTO E/S	15
CS-083: Dan Diesel Fuel ES.	15
CS-154: Danger Keep Out	15
CS-163: Danger Radiation	15
CS-162: Dang Overhead Lines	15
CS-164: Danger Open Pit	15
CS-236: Mind Before Hands	15
CS-237: Pinch Point ES	15
CS-238: Keep Hands Clear ES.	15

SOLAR-POWERED SIGNS

Solar-Powered Signs Mobile.	16
Solar-Powered Signs Fixed.	16
CD-KT: Hard Hat Decal Kit	17

DECALS

CD-001: No Food, Drink, Smoke, Phone Window.	17
CD-003: General Hazard Statement (GHS)	17
CD-002: Fire Extinguisher.	17
CD-013: Caution Heavy.	17
CD-175: Fire Extinguisher.	17
CD-019: Danger Flamm Liquid	17
CD-020: Diesel Fuel Rating.	17

CONTENTS BY CATEGORY

CD-021: Gasoline Rating	17
CD-025: Hydraulic Fluid	17
CD-030: Caustic Soda	17
CD-031: Aluminum Sulfate	17
CD-022: Potable Water	17
CD-028: 480 High Voltage	17
CD-029: 480 High Voltage	17
CD: Safety Trained Decal	17
CD-008: Tying-Off Height	17
CD-009: New Bee	17
CD-010: COVID Actions	17
CD: Hard Hat Enviro	17
CD-024: Mind Hands	17
CD-033: Take 5 Together	17
CD-007: Mixer	17
CD-032: New Line Transport	17
CD-034: Get A Grip - Triangle	18
CD: Window Parking - Decal	18
CD-215: Danger High Voltage 4160	18
CD-018: Danger Diesel Fuel	18
CD-114: Get A Grip - Reflective	18
CD-011: Danger Zone Bicycle	18
CD-012: Danger Zone Bicycle	18
CD-014: AIR	18
CD-015: Water	18
CD-016: Ladder Safety	18
CD-017: Ladder Safety	18
CD-026: Watch Your Step	18
CD-023-12: Mind Hands	18
CD-027: Forklift Traffic	18
CD: Silo Decal	18

BANNERS

CB-001: Cemex Focus One Task	19
CB-208: LOTOTO Banner	19
CB-002: Slip Trip Fall	19
CB-003: Raise Platform Banner	19
CB-004: Safety Is Everyone's Responsibility	19
CB-005: Line Of Fire	19
CP-001: Safety Essentials All	20
CP-002: Safety Essentials Safety	20
CP-003: Safety Essentials Driving	20
CP-004: Safety Essentials Health	20
CP-005: Lock Out Tag Out Poster	20
CP-006: Working At Heights	20
CP-007: Safe Tipping Maint. Exclusion	20
CP-008: Oxy-Acetylene Inspection	20
CP-014: Take 5 Poster	20

CP-012: Eric-P Least-Most Effective	20
CP-009: Health Safety 15 Elements	20
CP-013: Eric-P Identify Hazard	20

BOOKS, CARDS / TRAINING

BK-001: Take 5 Hazard Assessment / Near Miss Book	21
BK-005: Take 5 Together Book	21
BK-006: Take 5 Jobsite Book	21
CS-212: Take 5 Hazard Assessment Sign	21
BK-002: Employee Safety Handbook	21
BK-004: Supervisor's Safety Handbook	21
BK-007: Job Hazard Analysis Book	21
BK-008: Workplace Exam Pads	21
BK-009: Drivers Daily Log Book	21
SSHT-101: Site Specific Hazard Training Form	22
WA-101: Work Authorization Form	22
SIC-01: Safety Improvement Card / Pads	22
Safe-Tipping Brochure	22
Welding	
CM-002: Welding PPE Magnet	22
BK-003: Oxy-Acetylene Monthly Inspection Book	22
CM-001: Oxy-Acetylene Magnet	22
CP-008: Oxy-Acetylene Inspection	22

HEAT STRESS MANAGEMENT

HSMS-1 Heat Stress Management System	23
--------------------------------------	----


APPAREL / MILESTONE

A-M Cap Stars & Stripes	24
A-M 3-in-1 Tumbler	24
A-M Insulated Cooler	24
A-M Take 5 Together Tee	24
A-M Milestone Polos	24
A-M Cap Camo / Orange Accent	24
A-M Cemex Travel Tumbler	24
A-M Cemex Branded Neck Gaiter	24
A-M Cemex Branded Face Mask	24
A-M Cemex Branded Safety Glasses	24
A-M Cap Red White Blue	24
A-M Cemex Travel Handle Tumbler	24
A-M Cemex Monster Tee	24
A-M Cemex Logo Jacket	24
A-M Cap Camo/Orange Logo	24
A-M Cemex Coozie	24

FACILITY FRONT




CS-001: Welcome To __ Plant
84"x60"
Includes 4 sets of magnetic numbers 0-9




CS-124: Safety
96"x48"




CS-152: Downtown Plant
96"x48"



CS-002: Notice PPE Required
48"x48"



CS-151: Pyro PPE
A: 24"x36"



CS-007: Health Safety Tanker
36"x60"



CS-123: Tanker Drivers
36"x48"



CS-003: Welcome To Facility Spanish
48"x36"



CS-004: Welcome To Facility English
48"x36"




CS-080: Drive Safely
36"x24" | 60" x 36"



CS-207: In-Bond Truck Entrance
96"x48"



CS-005: Don't Forget To GOAL
60"x36"



CS-006: Days Without Injury
60"x36"
Includes 4 sets of magnetic numbers 0-9



CS-008: Site Safety Rules ES
60"x36"



CS-129: Caution Loader Has Right ES
72"x36"

TRAFFIC / PARKING



CS-014: All Visitor Back In
24"x36"



CS-149: Slow Safety Bumps
24"x36"



CS-191: First Motion Forward
18"x24"



CS-195: Stop Look Listen
18"x24"



CS-170: Stop Listen Railcars
18"x18"



CS-026: Speed Limit 5
18"x24"



CS-023: Visitor Parking
24" x 36"



CS-171: Employee Parking
24" x 36"



CS-024: Visitor Vendor Park
24" x 36"



CS-034: Enter Only
12"x18"



CS-035: Exit Only
12"x18"



CS-036: Exit Only
18"x12"



CS-196: Keep Right
18"x24"




CS-197: Keep Left
18"x24"



CS-234: Wrong Way ES
18"x24"



CS-022: Loader Has Right Of Way
24"x18"



CS-025: One Way Arrow Black BG
18"x6"



CS-178: No Parking
24" x 36"



CS-229: Left Hand Traffic ES
18"x24"



CS-120: No Trespassing Camera
24"x36"



CS-253: No Trespassing ATVs
18"x24"



CS-259: STOP Check Gangway
48"x48"




CS-260: STOP Secure Gangway
19"x22"


PEDESTRIAN



CS-031: Caution Heavy Equipment
12"x18"



CS-032: Caution Fork Lift Area
12"x18"



CS-033: Caution Trucking Area
12"x18"



CS-135: Pedestrian Traffic
18"x24"



CS-099: Wrong Way
18"x18"



CS-156: STOP
18"x18"



CS-132: Stop Here Pedestrian Right
18"x18"



CS-157: Stop Watch For Pedestrian
18"x18"



CS-097: YIELD
18"x18"



CS-168: Do Not Enter
18"x12"



CS-134: Pedestrian Crossing
18"x18"



CS-160: Speed Bumps Ahead
24"x24"



CS-158: Rail Road Crossing Circle
24" dia



CS-179: Caution Right
18"x18"



CS-180: Caution Left
18" x 18"



CS-181: Caution Bicyclists
24"x24"



CS-137: Caution Pedestrian Crossing
24"x18"



CS-138: Caution Slow Ped Traffic
24"x18"



CS-136: Warning Door Not Ped
24"x18"



CS-139: Slow Watch For Peds
18"x24"

SITE MANAGEMENT



CS-193: Caution No Berm
24"x24"



CS-140: Slow Proc Caution
18"x24"



CS-141: Slow Dang. Intersec
18"x24"




CS-176: Caution Ped Xing
18"x24"



CS-130: STOP Contact Oper
24"x36"



CS-143: Seat Belts Must Be
24"x36"



CS-142: Indicator Light
24"x36"



CS-144: Sweeper Right Way
24"x36"



CS-145: Caution Speed Bumps
24"x36"



CS-146: Danger RR Crossing
24"x36"



CS-148: Slow High Traffic
24"x36"



CS-147: Not A Thruway
36"x24"



CS-165: Chute Wash Area
24"x24"



CS-182: Orange Material Sign
48"x36"



CS-150: Shut Off Fuel Pump
18"x18"



CS-166: Noise Level In This Area dBA
18"x18"



CS-155: Stop Back Up Go
24"x24"



CS-020: No Food Drink Smoke Phone
24"x18"



CS-021: Tobacco Free Workplace
24"x18"



CS-216: Desig Smoke Extinguish
10"x14"



CS-217: Desig Smoking Area
10"x14"



CS-243: No Smoking
14"x10"



CS-220: Handicap Parking
10"x14"



CS-221: No Parking ES
24"x36"



CS-247: First Aid Kit
18"x24"

SITE MANAGEMENT



CS-009: Attention Tap Horn
36"x24"




CS-010: Mine Office Must Sign In
36"x24"



CS-011: Ready Mix Office Sign In
36"x24"



CS-018: Vendor Safety Parking
18"x18"



CS-219: First Motion Wheel Chock
14" x 12"



CS-227: All Visitor/Vendor Check In ES
24" x 18"



CS-228: Drivers Do Not Exit ES
24" x 18"



CS-231: No Truck Beyond ES
24" x 18"



CS-027: Silo Fly Ash C
12"x18"



CS-028: Cement 10lb Blue
12"x18"



CS-029: Silo Fly Ash F Red
12"x18"



CS-030: No Swimming
12"x18"



CS-187: Area Closed No Swimming
18"x12"



CS-125: Em Life Buoy
24"x36"



CS-167: PFD Required
18"x24"



CS-012: One Truck Slump
24"x36"



CS-015: No Trespassing
24"x36"



CS-188: Fall Use Handrail
12"x18"



CS-249: PPE Guy
48"x72"



CS-242: Entering OSHA Prop.
18" x 24"



CS-232: Do Not Litter ES
18" x 24"



CS-233: Restricted ES
18" x 24"




CS-019: AGG Trucks
24"x24"



CS-183: Evacuation Assembly Point
36"x24"

SITE MANAGEMENT




CS-038: Battery Charging
14"x10"



CS-039: Battery Storage
14"x10"



CS-048: Lock Out Red
14"x10"



CS-077: Drum Storage Rules
14"x10"



CS-073: Used Oil Storage
14"x10"



CS-153: Scrap Metal Only
14"x10"



CS-116: Antifreeze
14"x10"



CS-117: Hydraulic Oil
14"x10"



CS-121: Motor Oil Only
14"x10"



CS-122: PPE Free Zone
14"x10"



CS-106: Compressed Gas
14"x10"



CS-108: Valve Caps Must
14"x10"



CS-065: Emergency Eye Wash
10"x14"



CS-066: Em. Shower Eye Wash
10"x14"



CS-067: Em. Eye Wash
10"x14"



CS-109: Empty Cylinders
10"x14"



CS-110: Full Cylinders
10"x14"



CS-111: Main Entrance Arrow
18"x6"



CS-113: Main Office Arrow
18"x6"




CS-198: Get A Grip - Sign
10"x14"




CS-169: DEF
14"x10"



CS-013: Camera Surveillance
24"x36"



CS-240: Acetylene
12"x18"



CS-241: Oxygen
12"x18"




CS-017: All Visitors Sign In
18"x12"



CS-172: High Five Eric P
48"x48"

SITE MANAGEMENT



CS-251: Look Check Racks
19" x 22"



CS-255: People First Keep Safe
48" x 72"



CS-256: Set Parking Brake
12" x 18"



CS-257: Severe Weather Shelter
10" x 14"



CS-263: Emerg Equip Storage
10" x 14"




CS-258: Standing On Loads Raised Beds Prohibited ES
36" x 36" | 96" x 48"




CS-266: Restroom
6" x 10"



CS-261: Welcome Drivers PPE
24" x 36"



CS-262: Whip Check Instructions
10" x 14"



Site Route Map
96" x 48"

Custom Site Maps are a great tool for:

- Directing visitors, vendors, contractors, and emergency vehicles to precise location
- Showing specific buildings, locations on site
- Creates safer, more efficient work environment


SITE MANAGEMENT

OPERATING INSTRUCTIONS:	INSTRUCCIONES DE OPERACIÓN:
TO LOWER STEP ON AND HOLD ORANGE PEDAL DOWN TO RAISE PULL ROPE ON LEFT UNTIL RAMP LATCHES	PARA BAJAR PISE Y MANTENGA PRESIONADO EL PEDAL NARANJA PARA LEVANTAR TIRE LA CUERDA A LA IZQUIERDA HASTA QUE LA RAMPA QUEDE ENCAJADA

CS-223: Pneumatic Rack Safe Instruction ES 36" x 30"

Climbing On Trucks Without Using The Access Platforms	Subirse a camiones sin usar las plataformas de acceso
IS STRICTLY PROHIBITED Los camiones deben colocarse debajo de la plataforma de acceso de modo que la pasarela de acceso encaje directamente sobre la abertura de la escotilla TO USE THE ACCESS GANGWAY - Release the gangway securing pin - Push the gangway down so that it rests on top of or parallel to the truck top - Open or close hatch while remaining inside the safety rails DO NOT step outside of the safety rail system while on the top of the truck - Pull the gangway up after exiting top of truck - Reattach the gangway securing pin Reposition Truck if Improperly Staged Or if More Than One Hatch Must Be Accessed <i>This is a tobacco-free site</i>	ESTÁ ESTRUCTAMENTE PROHIBIDO Los camiones deben colocarse debajo de la plataforma de acceso de modo que la pasarela de acceso encaje directamente sobre la abertura de la escotilla TO USE THE ACCESS GANGWAY - Suelte el pasador de seguridad de la pasarela - Empuje la pasarela hacia abajo para que descansa encima o en paralelo a la parte superior del camión - Abra o cierre la escotilla mientras permanece dentro de los rieles de seguridad NO salga del sistema de rieles de seguridad mientras esté en la parte superior del camión - Tire de la pasarela hacia arriba después de salir de la parte superior del camión - Vuelva a colocar el pasador de seguridad de la pasarela Vuelva a colocar el camión si se colocó incorrectamente o si se debe acceder a más de una escotilla <i>Este es un sitio libre de tabaco</i>

CS-224: Pneumatic Rack Safe Rules ES 60" x 36"



CS-112: Mirror Check Station 36"x36"



CS-161: Mirror Sign 18"x24"

ZERO TOLERANCE RULES	REGLAS DE CERO TOLERANCIA
Critical Safety Rules 1. No work on critical equipment without proper authorization. 2. No work on critical equipment without proper authorization. 3. No work on critical equipment without proper authorization. 4. No work on critical equipment without proper authorization. 5. No work on critical equipment without proper authorization. 6. No work on critical equipment without proper authorization. 7. No work on critical equipment without proper authorization. 8. No work on critical equipment without proper authorization. 9. No work on critical equipment without proper authorization. 10. No work on critical equipment without proper authorization.	Reglas Críticas de Seguridad 1. No trabajar en equipos críticos sin autorización adecuada. 2. No trabajar en equipos críticos sin autorización adecuada. 3. No trabajar en equipos críticos sin autorización adecuada. 4. No trabajar en equipos críticos sin autorización adecuada. 5. No trabajar en equipos críticos sin autorización adecuada. 6. No trabajar en equipos críticos sin autorización adecuada. 7. No trabajar en equipos críticos sin autorización adecuada. 8. No trabajar en equipos críticos sin autorización adecuada. 9. No trabajar en equipos críticos sin autorización adecuada. 10. No trabajar en equipos críticos sin autorización adecuada.

CS-200: Zero Tolerance Sign ES 72"x48" | 48"x36" | 36" x 24"



CS-244: Tanker Pressure Release 36"x24"

SAFETY ESSENTIALS		
STOP, THINK, THEN... ACT SAFELY.		
Look After Yourself and Each Other Never let anyone act unsafely. Always stop unsafe practices.	Incident Reporting/ Hazard Alerts Report all incidents, near misses and hazards immediately.	
Get a Grip Hold handrails on stairways and use safe & deliberate entry and exit practices getting in/out of vehicles.	Housekeeping Keep walkways, access routes and work areas free from slip, trip and fall hazards.	
Manual Handling Use mechanical aids or ask for help to reduce risks.	Personal Protective Equipment Always wear the correct PPE.	
Driving Safety Drive safely. Ensure you are properly trained and your vehicle is well maintained.	Tools and Equipment Use the correct, well-maintained, tools/ equipment for the job. Never "make do".	
Energy Isolation Procedures Never work on energized equipment. Always lock out, tag out and try out.	Safe Systems Follow safe systems of work, site rules, signage and traffic signals.	
Confined Spaces Obtain a permit to work and always follow the safety requirements.	Working at Height Use appropriate access equipment and fall protection where needed.	

CS-222: Z4L Safety Essentials 48" x 72"


OUR COMMITMENT TO EACH OTHER

- Safety by Choice
- Becoming an Expert
- Making Right Decisions Every Decision Matters
- Doing the Right Thing Even When No One is Watching


CS-235: Our Commitment To 72" x 48"



CS-245: All Drivers Stop 36" x 24"




CS-192: Safe Tipping Main E/S 48"x48" | 72"x48"




NOTICE



CS-046: Notice Use Handrails
14"x10"



CS-050: Remember Lock Out
14"x10"



CS-052: Notice Use Lock Out
14"x10"



CS-057: Notice Respirators Must
14"x10"



CS-071: Notice Must Wear Ear
14"x10"



CS-076: Notice Drums
14"x10"



CS-199: Notice Turn Off Engine
14"x10"



CS-246: PPE Required ES
72"x48"




CS-250: Notice Authorized Only
14"x10"



CS-063: Notice Respirators
English
10"x14"



CS-064: Notice Respirators
Spanish
10"x14"



CS-209: Notice PPE
Required
10"x14"



CS-230: Notice Drivers Stay
In Cab ES
18" x 24"



CS-173: Notice Drivers Stay In Cab
18"x12"



CS-252: Notice Camera Check Clearance
12"x18"



CS-118: Attention Stay In Truck
36"x36"



CS-037: Attention For Your Safety Brake
36"x36"

CAUTION



CS-126: Caution Industrial
18"x12"



CS-127: Caution Mining Dump Truck
18"x12"



CS-128: Caution Mining Backhoe
18"x12"



CS-044: Caution When Servicing
14"x10"



CS-045: Caution Use Handrails
14"x10"



CS-201: Caution Cardox In Use
14"x10"



CS-043: Caution Corrosive
14"x10"



CS-056: Caution Respirators Required
14"x10"



CS-177: Caution High Dust
14"x10"



CS-060: Caution Eye Hazard Risk
14"x10"



CS-062: Caution Dust Hazard
14"x10"



CS-070: Caution Hearing Protection
14"x10"



CS-074: Caution Hazardous Waste
14"x10"



CS-089: Caution Confined Space
14"x10"



CS-092: Caution N-P Conf. Space
14"x10"



CS-184: Caution Fall Hazard
18"x12"



CS-264: Caution Public Highway
48"x48"

CAUTION



CS-186: Caution Fall Hazard
18"x12"



CS-103: Caution Conveyors Start
14"x10"



CS-104: Caution Do Not Walk Under
14"x10"



CS-211: Caution Tripping Hazard
14"x10"



CS-202: Caution Mask Required E/S
11"x17"



CS-203: Caution Foul Point Cars
10"x14"



CS-226: Caution Ped Crossing ES
10"x14"



CS-248: Slippery When Wet
18"x12"



CS-213: Caution Enter Scale Slowly
14"x10"



CS-218: Caution Watch Your Step
14"x10"



CS-214: Caution Overhead Conveyor
14"x10"



CS-047: Authorized Personnel Only
14"x10"



CS-119: Caution Icy Stairs Handrails
10"x14"



CS-131: Caution PPE Required
36"x24"



CS-208: Loader Has Right Of Way
48"x36"



CS-265: Pedestrian Stockpile Aware
36"x24"

WARNING



CS-061: Warning Dust Hazard
14"x10"



CS-068: Warning Loud Noises
14"x10"



CS-069: Warning High Noises
14"x10"



CS-095: Warning High Voltage
14"x10"



CS-096: Warning Haz Voltage
14"x10"



CS-101: Warning Exposed Parts
14"x10"



CS-100: Warning Moving
14"x10"



CS-115: Warning Loud Noise
12"x18"



CS-189: Warning Fall Hazard
14"x10"



CS-051: Warning Lock Out Tag Out
14"x10"



CS-059: Warning Eye Hazard Risk
14"x10"



CS-210: Warning Entanglement
12"x18"

DANGER



CS-040: Danger Corrosive Liquids
14"x10"



CS-041: Danger Explosive Hazard
14"x10"



CS-058: Danger Eye Hazard
14"x10"



CS-072: Danger Haz Waste Storage
14"x10"



CS-075: Danger Hazardous Waste
14"x10"



CS-078: Danger Gasoline
14"x10"




CS-079: Danger Flammable
14"x10"



CS-042: Danger Battery Charging E/S
14"x10"




CS-049: Danger Risk Serious Injury
14"x10"



CS-055: Danger Hazardous Vapor
14"x10"



CS-215: Danger High Voltage 4160
18"x12"



CS-053: Danger Lock Out tag Out
14"x10"

DANGER



CS-016: Danger Deep Water
36"x24"



CS-205: Danger Tower Plug
24"x14"



CS-206: Danger Air Compressor
14"x10"



CS-081: Danger Diesel Fuel
14"x10"



CS-082: Danger Propane
14"x10"



CS-105: Danger/Smoking/Flames
10"x14"



CS-087: Danger Permit Required
14"x10"



CS-204: Danger Do Not Enter E/S
14"x10"



CS-084: Danger Diesel Fuel
10"x14"



CS-085: Danger Propane
10"x14"



CS-086: Danger Gasoline
10"x14"



CS-159: Danger Ammonia
10"x14"



CS-174: Danger Hydraulic Oil
10"x14"



CS-194: PPE Required Am.
10"x14"

DANGER



CS-088: Danger Confined Space
14"x10"



CS-090: Danger Confined Space
14"x10"



CS-091: Danger Confined Space
14"x10"



CS-239: Danger 480 Volts
14"x10"



CS-093: Danger Elec Haz E/S
14"x10"



CS-094: Danger Elec Haz
14"x10"



CS-098: Dan High Voltage
14"x10"




CS-102: Danger Keep Off
10"x14"



CS-185: Danger Fall Hazard
14"x10"



CS-190: Danger Fall Hazard
14"x10"



CS-107: Danger Comp Gas
14"x10"



CS-054: Danger LOTOTO E/S
14"x20"



CS-083: Dan Diesel Fuel ES
14"x20"



CS-154: Danger Keep Out
24"x36"



CS-163: Danger Radiation
24"x36"



CS-162: Dang Overhead Lines
48"x48"



CS-164: Danger Open Pit
36"x24"



CS-236: Mind Before Hands
12"x12"




CS-237: Pinch Point ES
10"x14"




CS-238: Keep Hands Clear ES
10"x14"

SOLAR-POWERED SIGNS



Solar-Powered Signs Mobile




Solar-Powered Signs Fixed



DECALS



CD-001: No Food, Drink, Smoke, Phone Window
3" x 2"



CD-003: General Hazard Statement (GHS)
7" x 5"



CD-002: Fire Extinguisher
4" x 4"




CD-013: Caution Heavy
3.5" x 2"




CD-175: Fire Extinguisher
6" x 18"




CD-019: Danger Flamm
Liquid
5" x 3"



CD-020: Diesel Fuel
Rating
5" x 3"



CD-021: Gasoline Rating
5" x 3"



CD-025: Hydraulic Fluid
5" x 3"



CD-030: Caustic Soda
5" x 3"



CD-031: Aluminum
Sulfate
5" x 3"



CD-022: Potable Water
5" x 3"



CD-028: 480 High
Voltage
5" x 3"



CD-029: 480 High
Voltage
5" x 3"

HARD HAT ESSENTIALS



CD: Safety Trained Decal
2"



CD-008: Tying-Off Height
2.5"



CD-009: New Bee
2.5"



CD-010: COVID Actions
2.5"



CD: Hard Hat Enviro
2.5"



CD-024: Mind Hands
2.5"

HARD HAT DECAL KIT

CD-KT
12 kit minimum



Front



Left



Right



Back



2.75" x 1"



2.25" x 2"



2.5"



2.5" x 1.75"



CD-033: Take 5 Together
2.5" x 1.5"



CD-007: Mixer
2.5" x 1.75"



CD-032: New Line
Transport
2" x 1"

Clear poly vinyl, die-cut for clean, printed-on look Each set contains one of each decal shown above.

DECALS



CD: Window Parking - Decal
3" x 3"
Sequentially numbered



CD-215: Danger High Voltage 4160
18" x 12"



CD-018: Danger Diesel Fuel
14" x 10"



CD-034: Get A Grip - Triangle
6" x 5"



CD-114: Get A Grip - Reflective
24" x 4"




CD-011: Danger Zone Bicycle
10" x 6"




CD-012: Danger Zone Bicycle
8" x 11"



CD-014: AIR
CD-015: Water
6" x 2"



CD-016: Ladder Safety
7" x 2"



CD-017: Ladder Safety
12" x 5"

FLOOR DECALS



CD-026: Watch Your Step
11.5" x 3"



CD-023-12: Mind Hands
6" x 6" | 12" x 12"



CD-027: Forklift Traffic
24" x 24"




CD: Silo Decal
Made to your specifications

Floor Decals are produced on a premium textured vinyl that is slip resistant, secure and chemical resistant.
Ideal for concrete, linoleum, porcelain, wall and floor surfaces.

*We can design and print custom, full-color decals in any size or shape needed.
Minimum order for small custom decals, such as, Safety Trained Decals is 50. Minimum order for large custom decals is 12.*

BANNERS



CB-001: Cemex Focus One Task
60"x36"



CB-208: LOTOTO Banner
60"x36"




CB-002: Slip Trip Fall
72" x 48"



CB-003: Raise Platform Banner
72" x 48"



CB-004: Safety Is Everyone's Responsibility
72" x 36"



CB-005: Line Of Fire
72" x 48"

POSTERS



CP-001: Safety Essentials All
24"x36"




CP-002: Safety Essentials Safety
24"x36"




CP-003: Safety Essentials Driving
24"x36"



CP-004: Safety Essentials Health
24"x36"




CP-005: Lock Out Tag Out Poster
24"x36"



CP-006: Working At Heights
24"x36"




CP-007: Safe Tipping Maint.
Exclusion
24"x36"




CP-008: Oxy-Acetylene Inspection
24"x36"



CP-009: Health Safety 15 Elements
36"x48"





CP-014: Take 5 Poster
36"x24"
also available as a sign at 42"x28"



CP-012: Eric-P Least-Most Effective
36"x24"
also available as a sign or a banner at 48" x 36" or 72" x 48"

IDENTIFY A HAZARD IN OUR OPERATIONS			
E	Eliminate	Can we eliminate the hazard?	How?
R	Reduce	Can we reduce the hazard?	How?
I	Isolate	Can we isolate the hazard?	How?
C	Control	Can we control the hazard?	How?
P	Protect	Can PPE protect from the hazard?	How?

CP-013: Eric-P Identify Hazard
36"x24"
also available as a sign or a banner at 48" x 36" or 72" x 48"



BK-005: Take 5 Together Book
6.75" x 3.75"

BK-006: Take 5 Jobsite Book
6.75" x 3.75"



TAKE 5 HAZARD ASSESSMENT




Location / Department:		Work Area:		Date:						
Work/Task Description:		☐ Routine ☐ Non-routine								
1: STOP Before beginning/resuming work, STOP & THINK about all present and potential hazards in the work area and circle the icons below.										
LOTOTO										
Hit or Caught										
Burn										
Health										
Work Environment Conditions										
Fall										
2: THINK – IDENTIFY Describe the Process and Potential Hazard in the work zone at all steps of your task.			3: THINK – EVALUATE Describe how you could avoid Hazard exposure based on Potential Hazard.			4: ACT Eliminate / Reduce / Control / Prevent / Transfer / Remove / Protect /			5: ENTER AREA / PERFORM WORK As time allows, return to the work area / perform the work STOP – THINK IDENTIFY & EVALUATE – ACT	



Call for assistance: 1-800-838-6833

© 2014 CEMEX

Comes with Write-on-Wipe-off laminate for training purposes



BK-004: Supervisor's Safety Handbook
8.5" x 11"



BK-007: Job Hazard Analysis Book
8.5" x 11"



Consent Facility

WORKSHEET EXAM RECORD

DATE: _____ Date: _____

Consent Person(s): _____


NORMAN ANALYSIS EXAMINER:		
☐ William & Wile ☐ Robert Thompson and Bennett ☐ Bill and Betty Thompson ☐ A. J. and Catherine Smith ☐ John and Catherine Smith ☐ John and Catherine Smith ☐ John and Catherine Smith ☐ John and Catherine Smith	☐ Gerald ☐ George and Betty Thompson ☐ George and Betty Thompson ☐ George and Betty Thompson ☐ George and Betty Thompson ☐ George and Betty Thompson ☐ George and Betty Thompson ☐ George and Betty Thompson	

Consent Person(s) Signature

Consent/Chair Person(s) Signature

Date Completed

Version 1.0-11-12 Revised for Compliance, Nov. 2012 by T. J. Smith

[illegible]


BK-009: Drivers Daily Log Book
9.5" x 6"

BOOKS, CARDS / TRAINING

SSHT-101: Site Specific Hazard Training Form

WA-101: Work Authorization Form


SIC-01: Safety Improvement Card / Pads
5.5" x 3.5" Pads are in 25 sheet pads




Safe-Tipping Brochure
3.34" x 8.5" Trifold

See also CS-192 Safe Tipping Sign, And CP-007 Safe Tipping Poster.


WELDING




CM-002: Welding PPE Magnet
23" x 32"



CM-001: Oxy-Acetylene Magnet
12" x 12"



BK-003: Oxy-Acetylene Monthly Inspection Book
Sets well with the Oxy-Acetylene Inspection Poster & Magnet



CP-008: Oxy-Acetylene Inspection
24"x36"

HEAT STRESS MANAGEMENT

HEAT STRESS MANAGEMENT SYSTEM

SIGNS OF

HEAT EXHAUSTION

DIZZINESS & FAINTING
MAREOS Y DESMAYOS

EXCESSIVE SWEATING
SUDORACIÓN EXCESIVA

RAPID, WEAK PULSE
PULSO RÁPIDO Y DÉBIL

NAUSEA OR VOMITING
NAÚSEAS O VÓMITOS

COOL, PALE CLAMMY SKIN
PIEL PÁLIDA FRÍA Y HUMEDA

MUSCLE CRAMPS
CALAMBRES MUSCULARES

HEAT STROKE

THROBBING HEADACHE
DOLOR DE CABEZA PALPITANTE

NO SWEATING
FALTA DE SUDORACIÓN

RAPID, STRONG PULSE
PULSO RÁPIDO Y FUERTE

NAUSEA OR VOMITING
NAÚSEAS O VÓMITOS

RED, HOT DRY SKIN
PIEL SECA ROJA Y CALIENTE

MAY LOSE CONSCIOUSNESS
PUEDE PERDER LA CONCIENCIA

FIRST AID

HEAT EXHAUSTION

Have worker sit or lie down in a cool, shady area
Haga que el trabajador se siente o se acueste en un área fresca y sombreada

Give worker plenty of water or other cool beverages to drink
Dale al trabajador mucha agua u otras bebidas frescas para beber

Cool worker with cold compresses/packs
Enfríe al trabajador con compresas frías / bolsas de hielo

Take to clinic or emergency room for medical evaluation or treatment if signs or symptoms worsen or do not improve within 60 minutes
Llévelo a la clínica o sala de emergencias para una evaluación o tratamiento médico si los signos o síntomas empeoran o no mejoran en 60 minutos

Do not return to work that day
No vuelva a trabajar ese día

HEAT STROKE

Call 911
Llame al 911

While waiting for help:
Mientras espera la ayuda:

Place worker in a shady, cool area
Coloque al trabajador en un lugar fresco y sombreado

Loosen clothing, remove outer clothing
Afloje la ropa, quite la ropa exterior

Fan air on worker; cold packs in armpits
Ventíle aire sobre el trabajador; compresas frías en las axilas

Wet worker with cool water; apply ice packs, cool compresses, or ice if available
Moje al trabajador con agua fría; aplique compresas de hielo, compresas frías o hielo si está disponible

Provide fluids (preferably water) as soon as possible
Proporcione líquidos (preferiblemente agua) tan pronto como sea posible

Stay with worker until help arrives
Quédese con el trabajador hasta que llegue la ayuda

WORK TO REST / FLUID INTAKE		
TEMP.	WORK/REST*	FLUID INTAKE PER HOUR
<91°F	Not Restricted No restringido	As needed Según sea necesario
91° to 103°F	Rest about 10 min/hr Descanse unos 10 min/h	About 12-24 ounces Aproximadamente 12-24 onzas
103° to 115°F	Rest about 10 min/hr — light work Descanse unos 10 min/h — trabajo ligero Rest about 20 min/hr — heavy work Descanse unos 20 min/h — trabajo pesado	About 24-36 ounces Aproximadamente 24-36 onzas
≥ 115°F	Use extreme caution. Take fluids, rest and shade breaks as often as needed. Tenga mucho cuidado. Tome líquidos, pausas y descansos en la sombra cada vez que lo necesite.	


Place index alert here.

TODAY'S ESTIMATED HEAT INDEX ALERT

Are You Hydrated? Take the Urine Color Test

	Optimal	Óptimo
HYDRATED	Well Hydrated OK	Bien Hidratado Bueno
DEHYDRATED	Dehydrated You need to drink more water	Deshidratado Necesita beber más agua
	Severely Dehydrated Omita agua inmediatamente	Muy Deshidratado Omita agua inmediatamente
	Seek Medical Aid: May indicate blood in urine or kidney disease Busque asistencia médica: Puede indicar sangre en la orina o una enfermedad renal	Obtenga Asistencia Médica: Puede indicar sangre en la orina o una enfermedad renal

Some vitamins and supplements may cause darkening of the urine unrelated to dehydration.
Algunas vitaminas y suplementos pueden causar un oscurecimiento de la orina no relacionado con la deshidratación.



The chart is an estimate of the likelihood of suffering a heat-related illness based on ambient temperature and relative humidity. Other factors such as long-sleeved work clothing, direct sunlight and wind speed must be considered when assessing risk.

How to use this chart:

- Along the left side (Ambient Temperature), locate current, high temperature
- On the top, locate current Relative Humidity
- Follow across and down to find the "Heat Index" of "What it feels like"
- Determine Heat Stress Risk from chart

www.heataware.com

HSMS-1 Heat Stress Management System
42" x 28"

YELLOW

Heat Index less than 91°F

DARK ORANGE

Heat Index 103°F—115°F

LIGHT ORANGE

Heat Index 91°F—103°F

RED

Greater than 115°F

Index Alert Magnets

The Heat Stress Management System Signs present vital graphic cues to raise awareness of and prevent heat related illness. They are available in two sizes and are appropriate for any cool-down areas around your facility, inside or out. Must be displayed in the shade, to get an accurate thermometer reading.

Comes with 4 different colored magnets to set the tone for the Heat Stress Range of the day.

For more information on Heat Stress Management Solutions please visit www.HeatAware.com.

APPAREL / MILESTONE



A-M Milestone Polos



A-M Cemex Monster Tee



Shirt is 4.5oz. 5.5% cotton/45% polyester
30 UPF Sun Protection rating
Meets ANSI/ISEA 107-2015 Class 2 standards

A-M Take 5 Together Tee



A-M Cemex Logo Jacket

Lightweight soft-shell performance knit fabric (160gr/m² is 100% moisture-wicking polyester with micro-fleece inside to keep you comfortable and dry.



A-M Cap Stars & Stripes



A-M Cap Camo / Orange Accent

Reflective
Sandwich



A-M Cap Red White Blue



A-M Cap Camo/Orange Logo



A-M 3-in-1 Tumbler



A-M Cemex Travel Tumbler



A-M Cemex Travel Handle Tumbler



A-M Cemex Coozie



A-M Insulated Cooler



A-M Cemex Branded Neck Gaiter



A-M Cemex Branded Face Mask



A-M Cemex Branded Safety Glasses

Recognition for achieving a milestone is great positive reinforcement.
All of our items can be customized with a location name and milestone information.



The signs, decals and stencils displayed in this catalog represent the most requested. We create custom signs for plants, terminals and quarries also.

Give us a call with your custom sign requests at 713-228-9331. Pricing does not include shipping & handling.

 Reflective Signs offer greater visibility in low-light conditions and adhere to these specs:

- Printed on Reflective .080 Round Cornered Aluminum
- Signs will be 1 color – Black or Red on White or Yellow Reflective background.
- Reflective Signs will not print with logos unless special orders are quoted and agreed upon.



100 YEARS

Order from: Carroll Printing & Promotions
713-228-9331 | CarrollPrinting.com | Bryan@CarrollPrinting.com