



SIGNS AND DECALS

FOR THE MANAGEMENT OF SITE CONTROL.

2024



To increase visibility in a variety of conditions, we recommend using reflective material on a majority of signs where applicable.



All signs are available in English and/or Spanish

100 YEARS

Order from: Carroll Printing & Promotions
713-228-9331 | CarrollPrinting.com | Bryan@CarrollPrinting.com


REV: 01-24



FACILITY FRONT




CS-001: Welcome To __ Plant
84"x60"
Includes 4 sets of magnetic numbers 0-9




CS-124: Climbing Access Panel
96"x48"



CS-152: Downtown Plant
96"x48"




CS-002: Notice PPE Required
48"x48"



CS-151: Pyro PPE
A: 24"x36" | 36" x 48"



CS-007: Health Safety Tanker
36"x60"



CS-123: Tanker Drivers
36"x48"



CS-004: Welcome To Facility ES
48"x36"




CS-080: Drive Safely
36"x24" | 60" x 36" | 96" x 48"




CS-207: In-Bound Truck Entrance
96"x48"



CS-005: Don't Forget To GOAL
60"x36"



CS-006: Days Without Injury
60"x36"
Includes 4 sets of magnetic numbers 0-9



CS-008: Site Safety Rules ES
60"x36"



CS-129: Caution Loader Has Right ES
72"x36"

TRAFFIC / PARKING



CS-014: All Visitor Back In
24"x36"



CS-149: Slow Safety Bumps
24"x36"



CS-191: First Motion Forward
18"x24"



CS-195: Stop Look Listen
18"x24"



CS-170: Stop Listen Railcars
18"x18"




CS-026: Speed Limit 5
18"x24"



CS-023: Visitor Parking
24" x 36"



CS-171: Employee Parking
24" x 36"



CS-024: Visitor Vendor Park
24" x 36"



CS-034: Enter Only
12"x18"



CS-035: Exit Only
12"x18"



CS-036: Exit Only
18"x12"



CS-196: Keep Right
18"x24"



CS-197: Keep Left
18"x24"



CS-234: Wrong Way ES
18"x24"



CS-022: Loader Has Right Of Way
24"x18"



CS-025: One Way Arrow
18"x6"



CS-178: No Parking
24" x 36"



CS-229: Left Hand Traffic ES
18"x24"



CS-120: No Trespassing Camera
24"x36"



CS-253: No Trespassing ATVs
18"x24"



CS-259: STOP Check Gangway
48"x48"




CS-260: STOP Secure Gangway
19"x22"


PEDESTRIAN



CS-031: Caution Heavy Equipment
12"x18"



CS-032: Caution Fork Lift Area
12"x18"



CS-033: Caution Trucking Area
12"x18"



CS-135: Pedestrian Traffic
18"x24"



CS-099: Wrong Way
18"x18"



CS-156: STOP
18"x18"



CS-132: Stop Here Pedestrian
18"x18"



CS-157: Stop Watch For Pedestrian
18"x18"



CS-097: YIELD
18"x18"



CS-168: Do Not Enter
18"x12"



CS-134: Pedestrian Crossing
18"x18"



CS-160: Speed Bumps Ahead
24"x24"



CS-158: Rail Road Crossing Circle
24" dia



CS-179: Caution Right
18"x18"



CS-180: Caution Left
18" x 18"



CS-181: Caution Bicyclists
24"x24"



CS-137: Caution Pedestrian Crossing
24"x18"



CS-138: Caution Slow Ped Traffic
24"x18"



CS-136: Warning Door Not Ped
24"x18"



CS-139: Slow Watch For Peds
18"x24"

SITE MANAGEMENT



CS-193: Caution No Berm
24"x24"



CS-140: Slow Proc Caution
18"x24"



CS-141: Slow Dang. Intersec
18"x24"



CS-176: Caution Ped Xing
18"x24"



CS-130: STOP Contact Oper
24"x36"



CS-143: Seat Belts Must Be
24"x36"



CS-142: Indicator Light
24"x36"



CS-144: Sweeper Right Way
24"x36"



CS-145: Caution Speed Bumps
24"x36"



CS-146: Danger RR Crossing
24"x36"




CS-148: Slow High Traffic
24"x36"



CS-147: Not A Thruway
36"x24"



CS-165: Chute Wash Area
24"x24"



CS-182: Orange Material Sign
48"x36"



CS-150: Shut Off Fuel Pump
18"x18"



CS-166: Noise Level In This Area dBA
18"x18"



CS-155: Stop Back Up Go
24"x24"



CS-020: No Food Drink Smoke Phone
24"x18"



CS-021: Tobacco Free Workplace
24"x18"



CS-216: Desig Smoke Extinguish
10"x14"



CS-217: Desig Smoking Area
10"x14"



CS-243: No Smoking
14"x10"



CS-220: Handicap Parking
10"x14"



CS-221: No Parking ES
24"x36"




CS-247: First Aid Kit
18"x24"

SITE MANAGEMENT



CS-009: Attention Tap Horn
36"x24"




CS-010: Mine Office Must Sign In
36"x24"



CS-011: Ready Mix Office Sign In
36"x24"



CS-018: Vendor Safety Parking
18"x18"



CS-219: First Motion Wheel Chock
14" x 12"



CS-227: All Visitor/Vendor Check In ES
24" x 18"



CS-228: Drivers Do Not Exit ES
24" x 18"



CS-231: No Truck Beyond ES
24" x 18"



CS-027: Silo Fly Ash C
12"x18"



CS-028: Cement 10lb Blue
12"x18"




CS-029: Silo Fly Ash F Red
12"x18"



CS-030: No Swimming
12"x18"




CS-187: Area Closed No Swimming
18"x12"



CS-125: Em Life Buoy
24"x36"



CS-167: PFD Required
18"x24"



CS-012: One Truck Slump
24"x36"



CS-015: No Trespassing
24"x36"



CS-188: Fall Use Handrail
12"x18"



CS-249: PPE Guy
48"x72"



CS-242: Entering OSHA Prop.
18" x 24"



CS-232: Do Not Litter ES
18" x 24"



CS-233: Restricted ES
18" x 24"




CS-019: AGG Trucks
24"x24"



CS-183: Evacuation Assembly Point
36"x24"

SITE MANAGEMENT



CS-038: Battery Charging
14"x10"



CS-039: Battery Storage
14"x10"



CS-048: Lock Out Red
14"x10"



CS-077: Drum Storage Rules
14"x10"



CS-073: Used Oil Storage
14"x10"



CS-153: Scrap Metal Only
14"x10"



CS-116: Antifreeze
14"x10"



CS-117: Hydraulic Oil
14"x10"



CS-121: Motor Oil Only
14"x10"



CS-122: PPE Free Zone
14"x10"



CS-106: Compressed Gas
14"x10"



CS-108: Valve Caps Must
14"x10"



CS-065: Emergency Eye Wash
10"x14"



CS-066: Em. Shower Eye Wash
10"x14"




CS-067: Em. Eye Wash
10"x14"



CS-109: Empty Cylinders
10"x14"



CS-110: Full Cylinders
10"x14"



CS-111: Main Entrance Arrow
18"x6"



CS-113: Main Office Arrow
18"x6"



CS-198: Get A Grip - Sign
10"x14"



CS-169: DEF
14"x10"



CS-013: Camera Surveillance
24"x36"



CS-240: Acetylene
12"x18"



CS-241: Oxygen
12"x18"




CS-017: All Visitors Sign In
18"x12"



CS-172: High Five Eric P
48"x48"

SITE MANAGEMENT



CS-251: Look Check Racks
19" x 22"



CS-255: People First Keep Safe
48" x 72"



CS-256: Set Parking Brake
12" x 18"



CS-257: Severe Weather Shelter
10" x 14"



CS-263: Emerg Equip Storage
10" x 14"




CS-285: Evacuation Route
18" x 18"



CS-266: Restroom
6" x 10"




CS-261: Welcome Drivers PPE
24" x 36"




CS-262: Whip Check Instructions
10" x 14"



CS-283: Organizational Integrity
14" x 10"



CS-271: Push Pole Close Lids
14" x 10"



Site Route Map
96" x 48"


Custom Site Maps are a great tool for:

- Directing visitors, vendors, contractors, and emergency vehicles to precise location
- Showing specific buildings, locations on site
- Creates safer, more efficient work environment


SITE MANAGEMENT



CS-223: Pneumatic Rack Safe Instruction ES
36" x 30"



CS-224: Pneumatic Rack Safe Rules ES
60" x 36"



CS-112: Mirror Check Station
36" x 36"



CS-161: Mirror Sign
18" x 24"



CS-200: Zero Tolerance Sign ES
72" x 48" | 48" x 36" | 36" x 24"



CS-244: Tanker Pressure Release
36" x 24"



CS-235: Our Commitment To
72" x 48"



CS-245: All Drivers Stop
36" x 24"



CS-222: Z4L Safety Essentials
48" x 72"



CS-175: Fire Extinguisher
6" x 18"




CS-289: Our Vision Values
96" x 48"




CS-290: Hazardous Waste Storage
24" x 36"


SITE MANAGEMENT



CS-286: No Zone
30" x 30"




CS-287: No Zone FAQ
30" x 30"




CS-288: No Zone Safe Practice
30" x 30"


WORKING AT HEIGHTS




CS-276: Do Not Stand Slump
36" x 24"




CS-279: Do Not Stand Agg
36" x 24"




CS-280: Do Not Stand Loader
36" x 24"



CS-281: Do Not Stand Mixer
36" x 24"



CS-282: Do Not Stand Tanker
36" x 24"



CS-273: Slump Rack Rules
36" x 24"


SITE MANAGEMENT



CS-274: Power Lines
48" x 48"




CS-293-1: Why We're Safe
48" x 48"




CS-293-2: Why We're Safe
48" x 48"



CS-293-3: Why We're Safe
48" x 48"



CS-192: Safe Tipping Main E/S
48" x 48" | 72" x 48"




CS-258: Standing On Loads Raised Beds Prohibited ES
36" x 36" | 96" x 48"



NOTICE



CS-046: Notice Use Handrails
14" x 10"



CS-050: Remember Lock Out
14" x 10"



CS-052: Notice Use Lock Out
14" x 10"




CS-057: Notice Respirators Must
14" x 10"



CS-071: Notice Must Wear Ear
14" x 10"



CS-076: Notice Drums
14" x 10"



CS-199: Notice Turn Off Engine
14" x 10"



CS-246: PPE Required ES
72" x 48"




CS-250: Notice Authorized Only
14" x 10"



CS-173: Notice Drivers Stay In Cab
18" x 12"



CS-063: Notice Respirators English
10" x 14"



CS-209: Notice PPE Required
10" x 14"



CS-230: Notice Drivers Stay In Cab ES
18" x 24"



CS-272: Notice Unbermed Roadway
18" x 12"



CS-252: Notice Camera Check Clearance
12" x 18"



CS-118: Attention Stay In Truck
36" x 36"



CS-037: Attention For Your Safety Brake
36" x 36"

CAUTION



CS-126: Caution Industrial
18" x 12"



CS-127: Caution Mining Dump Truck
18" x 12"



CS-128: Caution Mining Backhoe
18" x 12"



CS-043: Caution Corrosive
14" x 10"



CS-044: Caution When Servicing
14" x 10"



CS-045: Caution Use Handrails
14" x 10"



CS-056: Caution Respirators Required
14" x 10"



CS-060: Caution Eye Hazard Risk
14" x 10"



CS-062: Caution Dust Hazard
14" x 10"



CS-070: Caution Hearing Protection
14" x 10"



CS-074: Caution Hazardous Waste
14" x 10"



CS-089: Caution Confined Space
14" x 10"



CS-092: Caution N-P Conf. Space
14" x 10"



CS-177: Caution High Dust
14" x 10"



CS-184: Caution Fall Hazard
18" x 12"



CS-201: Caution Cardox In Use
14" x 10"



CS-264: Caution Public Highway B/Y
48" x 48"



CS-003: Do Not Operate W/O Guard
10" x 7"



CS-133: Do Not Operate W/O Guard ES
7" x 10"



CS-277: RR Low Ground Clearance
18" x 18"

CAUTION



CS-186: Caution Fall Hazard
18" x 12"



CS-103: Caution Conveyors Start
14" x 10"



CS-104: Caution Do Not Walk Under
14" x 10"



CS-211: Caution Tripping Hazard
14" x 10"



CS-202: Caution Mask Required E/S
11" x 17"



CS-203: Caution Foul Point Cars
10" x 14"



CS-226: Caution Ped Crossing ES
10" x 14"



CS-248: Slippery When Wet
18" x 12"



CS-213: Caution Enter Scale Slowly
14" x 10"



CS-218: Caution Watch Your Step
14" x 10"



CS-214: Caution Overhead Conveyor
14" x 10"



CS-047: Authorized Personnel Only
14" x 10"



CS-119: Caution Icy Stairs Handrails
10" x 14"



CS-131: Caution PPE Required
36" x 24"



CS-208: Loader Has Right Of Way
48" x 36"



CS-265: Pedestrian Stockpile Aware
36" x 24"



CS-284: Double Hearing
12" x 12"



CS-267: Spill Kit
14" x 10"

WARNING



CS-061: Warning Dust Hazard
14" x 10"



CS-068: Warning Loud Noises
14" x 10"




CS-069: Warning High Noises
14" x 10"



CS-095: Warning High Voltage
14" x 10"



CS-096: Warning Haz Voltage
14" x 10"



CS-101: Warning Exposed Parts
14" x 10"



CS-100: Warning Moving
14" x 10"



CS-115: Warning Loud Noise
12" x 18"



CS-189: Warning Fall Hazard
14" x 10"



CS-051: Warning Lock Out Tag Out
14" x 10"




CS-059: Warning Eye Hazard Risk
14" x 10"



CS-210: Warning Entanglement
12" x 18"



CS-275: Warning Hazard Assessment
16" x 16"



CS-114: Blasting Protocol
96" x 48"

DANGER



CS-040: Danger Corrosive Liquids
14" x 10"



CS-041: Danger Explosive Hazard
14" x 10"



CS-058: Danger Eye Hazard
14" x 10"



CS-072: Danger Haz Waste Storage
14" x 10"



CS-075: Danger Hazardous Waste
14" x 10"



CS-078: Danger Gasoline
14" x 10"



CS-079: Danger Flammable
14" x 10"



CS-042: Danger Battery Charging E/S
14" x 10"



CS-049: Danger Risk Serious Injury
14" x 10"




CS-055: Danger Hazardous Vapor
14" x 10"



CS-215: Danger High Voltage 4160
18" x 12"



CS-053: Danger Lock Out tag Out
14" x 10"



CS-269: Danger Risk Serious Injury
11" x 7"



CS-254: Danger Authorized Service
10" x 7"



CS-268: Danger Mining Blasting
14" x 10"



CS-270: Flammable 1993-3
12" x 12"

DANGER



CS-016: Danger Deep Water
36" x 24"



CS-205: Danger Tower Plug
24" x 14"



CS-206: Danger Air Compressor
14" x 10"



CS-081: Danger Diesel Fuel
14" x 10"



CS-082: Danger Propane
14" x 10"



CS-105: Danger/Smoking/Flames
10" x 14"



CS-087: Danger Permit Required
14" x 10"



CS-204: Danger Do Not Enter E/S
14" x 10"



CS-084: Danger Diesel Fuel
10" x 14"



CS-085: Danger Propane
10" x 14"



CS-086: Danger Gasoline
10" x 14"



CS-159: Danger Ammonia
10" x 14"



CS-174: Danger Hydraulic Oil
10" x 14"



CS-194: PPE Required Am.
10" x 14"



CM-003: LOTOTO Magnet
12" x 12"

DANGER



CS-088: Danger Confined Space
14" x 10"



CS-090: Danger Confined Space
14" x 10"



CS-091: Danger Confined Space
14" x 10"



CS-239: Danger 480 Volts
14" x 10"



CS-093: Danger Elec Haz E/S
14" x 10"



CS-094: Danger Elec Haz
14" x 10"



CS-098: Dan High Voltage
14" x 10"




CS-102: Danger Keep Off
10" x 14"



CS-185: Danger Fall Hazard
14" x 10"



CS-190: Danger Fall Hazard
14" x 10"



CS-107: Danger Comp Gas
14" x 10"



CS-054: Danger LOTOTO E/S
14" x 20"



CS-083: Dan Diesel Fuel ES
14" x 20"



CS-154: Danger Keep Out
24" x 36"



CS-163: Danger Radiation
24" x 36"



CS-162: Dang Overhead Lines
48" x 48"



CS-164: Danger Open Pit
36" x 24"



CS-237: Pinch Point ES
10" x 14"



CS-238: Keep Hands Clear ES
10" x 14"



CS-278: Danger Automated
24" x 36"


SOLAR-POWERED SIGNS




CS-134S: Solar-Powered Pedestrian Crossing
30" x 30"



CS-156S: Solar-Powered STOP
30" x 30"



Solar-Powered Signs Stand Mobile




Solar-Powered Signs Stand Fixed



DECALS



CD-001: No Food, Drink, Smoke, Phone Window
3" x 2"



CD-003: General Hazard Statement (GHS)
7" x 5"



CD-002: Fire Extinguisher
4" x 4"




CD-013: Caution Heavy
3.5" x 2"




CD-175: Fire Extinguisher
6" x 18"




CD-019: Danger Flamm Liquid
5" x 3"



CD-020: Diesel Fuel Rating
5" x 3"




CD-021: Gasoline Rating
5" x 3"



CD-025: Hydraulic Fluid
5" x 3"



CD-030: Caustic Soda
5" x 3"



CD-031: Aluminum Sulfate
5" x 3"



CD-022: Potable Water
5" x 3"



CD-023-6: Mind Before Hands
6" x 6"



CD-011: Warning Danger Zone
10" x 6"



CD-012: Warning Danger Zone
8" x 11"

HARD HAT ESSENTIALS



CD: Safety Trained Decal
2"



CD-008: Tying-Off Height
2.5"



CD-009: New Bee
2.5"



CD: Hard Hat Enviro
2.5"



CD-024: Mind Hands
2.5"

HARD HAT DECAL KIT

CD-KT Hard Hat Decal Kit
12 kit minimum



Front



Left



Right



Back




3" x 2.5"



2.25" x 2"



5.25" x 1"



2.5" x 1.75"


White poly vinyl, die-cut for clean, printed-on look Each set contains one of each decal shown above.



CD-033: Take 5 Together
2.5" x 1.5"



CD-035: Admixtures
2.75" x 1"



CD-007: Mixer
2.5" x 1.75"



CD-032: New Line Transport
2" x 1"

DECALS



CD-028: 480 High Voltage
5" x 3"



CD-029 High Voltage
5" x 3"



CD-036: Danger 480 Volts
LOTOTO
4" x 2"



CD-037: Danger Hot Pipes
7" x 5"



CD-018: Danger Diesel Fuel
14" x 10"



CD-215: Danger High Voltage
4160
18" x 12"



CD-014: AIR
CD-015: Water
6" x 2"



CD-034: Get A Grip - Triangle
6" x 5"



CD: Window Parking - Decal
3" x 3" Sequentially numbered



CD-114: Get A Grip - Reflective
24" x 4"



CD-038: LOTOTO Lock Label
4.5" x 1.5"



Fits Master Lock 410BLU Zenex Thermoplastic Safety Padlock.

*An Excel spread sheet with employee name, phone number, and employee photos will need to be provided.

1 Set = 4 decals per name.
6 Set minimum order.



CD: Silo Decal
Made to your specifications

FLOOR DECALS



CD-026: Watch Your Step
11.5" x 3"



CD-023-12: Mind Before
Hands
12" x 12"



CD-027: Forklift Traffic
24" x 24"



CD-039: Glasses Boots
Required
18" x 6"




CD-040: Glasses Required
12" x 12"



CD-041: Back In
Parking Stop
36" x 3"

Floor Decals are produced on a premium textured vinyl that is slip resistant, secure and chemical resistant. Ideal for concrete, linoleum, porcelain, wall and floor surfaces.

BANNERS



CB-001: Cemex Focus One Task
60" x 36"




CB-002: Slip Trip Fall
72" x 48"



CB-003: Raise Platform Banner
72" x 48"



CB-004: Safety Is Everyone's Responsibility
72" x 36"




CB-005: Line Of Fire
72" x 48"



CB-006: Orgazational Integrity
36" x 24"



CB-007: LOTOTO
60" x 36"



CB-008: Take 5 Hazard Assessment
42" x 28"



CB-009: Take 5 Together
72" x 48"



CB-010: Cemex Site Flag
72" x 48"

POSTERS



CP-001: Essentials All
24" x 36"




CP-002: Essentials Safety
24" x 36"




CP-003: Essentials Driving
24" x 36"




CP-004: Essentials Health
24" x 36"




CP-005: Lock Out Tag Out
24" x 36"




CP-006: Working At Heights
24" x 36"




CP-007: Safe Tipping
24" x 36"



CP-008: Oxy-Acetylene Inspection
24" x 36"




CP-009: 15 Elements
36" x 48"




CP-012: Eric-P Least-Most
24" x 36"




CP-013: Eric-P Identify
36" x 24"



CP-014: Take 5 Hazard Ass.
36" x 24"




CP-015: High 5-ERIC P
36" x 24"




CP-016: Health Safety Policy
24" x 36"



CP-017: Organize Integrity
36" x 24"



CP-018: Zero 4 Life
24" x 36"



CP-019: Take 5 Together
36" x 24" | 48" x 36"

HEAT STRESS MANAGEMENT

Heat Aware®

"Your Heat Stress Management Solution"

HEAT STRESS MANAGEMENT SYSTEM SISTEMA DE MANEJO DE CALOR

SIGNS OF SEÑALES DE	
HEAT EXHAUSTION AGOTAMIENTO POR CALOR	HEAT STROKE ATAQUE DE CALOR
<ul style="list-style-type: none"> Dizziness & Fainting Mareos Y Desmayos Excessive Sweating Sudoración Excesiva Rapid, Weak Pulse Pulso Rápido Y Débil Nausea Or Vomiting Náuseas O Vómitos Cool, Pale Clammy Skin Piel Pálida Fría Y Humeda Muscle Cramps Calambres Musculares 	<ul style="list-style-type: none"> Throbbing Headache Dolor De Cabeza Palpitante No Sweating Falta De Sudoración Rapid, Strong Pulse Pulso Rápido Y Fuerte Nausea Or Vomiting Náuseas O Vómitos Red, Hot Dry Skin Piel Seca Roja Y Caliente May Lose Consciousness Puede Perder La Conciencia



FIRST AID | PRIMEROS AUXILIOS

<ul style="list-style-type: none"> Have worker sit or lie down in a cool, shady area Haga que el trabajador se siente o se acueste en un área fresca y sombreada Give worker plenty of water Déle al trabajador mucha agua u otras bebidas frescas para beber Cool worker with cold compress/ice packs Enfría el trabajador con compresas frías / bolsas de hielo Take to clinic or emergency room for medical evaluation or treatment Llévelo a la clínica o sala de emergencias para una evaluación o tratamiento médico si los signos o síntomas empeoran o no mejoran en 60 minutos Do not return to work that day No vuelva a trabajar ese día 	<ul style="list-style-type: none"> Call 911 Lláme al 911 While waiting for help, place worker in a shady, cool area Mientras espera la ayuda, coloque al trabajador en un lugar fresco y sombreado Loosen clothing, remove outer clothing Afloje la ropa, quite la ropa exterior Fan air on worker; cold packs in armpits Ventíle aire sobre el trabajador; compresas frías en las axilas Apply ice packs, cool compresses, or ice if available Moje el trabajador con agua fría; aplique compresas de hielo, compresas frías o hielo si está disponible Provide water as soon as possible Proporcione líquidos (preferiblemente agua) tan pronto como sea posible Stay with worker until help arrives Quédese con el trabajador hasta que llegue la ayuda
--	---

AMBIENT TEMPERATURE TEMPERATURA AMBIENTAL	% RELATIVE HUMIDITY HUMEDAD RELATIVA									
	0%	10%	20%	30%	40%	50%	60%	70%	80%	90%
120° F	107	116	130	148						
115° F	103	111	120	135	151					
110° F	99	105	112	123	137	150				
105° F	95	100	105	113	123	135	149			
100° F	91	95	99	104	110	120	132	144		
95° F	87	90	93	96	101	107	114	124	136	
90° F	83	85	87	90	93	96	100	106	113	122
85° F	78	80	82	84	86	88	90	93	97	102
80° F	73	75	77	78	79	81	82	85	86	88
75° F	69	70	72	73	74	75	76	77	78	79
70° F	64	65	66	67	68	69	70	70	71	71


For accurate readings this sign **MUST** be displayed in shade. | Para lecturas precisas, este letrero **DEBE** exponerse en la sombra.

Are You Hydrated? Take the Urine Color Test ESTÁS HIDRATADO? TOMA LA PRUEBA DE COLOR DE ORINA

	Optimal	Óptimo
	Well Hydrated OK	Bien Hidratado Bueno
DEHYDRATED	Dehydrated You need to drink more water	Deshidratado Necesita beber más agua
	Severely Dehydrated Seek Medical Aid: May indicate blood in urine or kidney disease Drink water immediately	Muy Deshidratado Obtenga Asistencia Médica: Puede indicar sangre en la orina o una enfermedad renal Beba agua inmediatamente

WORK TO REST / FLUID INTAKE TRABAJO A DESCANSO / CONSUMO DE AGUA

TEMP.	WORK/REST*	FLUID INTAKE PER HOUR
<91°F	Not Restricted No restringido	As needed Según sea necesario
91° to 103°F	Rest about 10 min/hr Descanse unos 10 min/h	About 12-24 ounces Aproximadamente 12-24 onzas
103° to 115°F	Rest about 10 min/hr — light work Descanse unos 10 min/h — trabajo ligero Rest about 20 min/hr — heavy work Descanse unos 20 min/h — trabajo pesado	About 24-36 ounces Aproximadamente 24-36 onzas
≥ 115°F	Use extreme caution. Take fluids, rest and shade breaks as often as needed. Tenga mucho cuidado. Tome líquidos, pausas y descansos en la sombra cada vez que lo necesite.	



Place index alert here.

TODAY'S ESTIMATED HEAT INDEX ALERT
INDICE DE CALOR ESTIMADO PARA HOY

CEMEX

Zero4Life

www.heataware.com



Scan code for more detailed information concerning heat-related issues

Escanee el código para obtener información más detallada sobre problemas relacionados con el calor

YELLOW

Heat Index less than 91°F

LIGHT ORANGE

Heat Index 91°F—103°F

DARK ORANGE

Heat Index 103°F—115°F

RED

Greater than 115°F


Index Alert Magnets

HSMS-1 Heat Stress Management System
42" x 28"


The Heat Stress Management System Signs present vital graphic cues to raise awareness of and prevent heat related illness. They are available in two sizes and are appropriate for any cool-down areas around your facility, inside or out. Must be displayed in the shade, to get an accurate thermometer reading.

Comes with 4 different colored magnets to set the tone for the Heat Stress Range of the day.

For more information on Heat Stress Management Solutions please visit www.HeatAware.com.



The Cemex branded Heat Aware Card®



The liquid crystal thermometer registers the ambient temperature every 20 seconds \pm 1 degree.

Available in packs of 25

HATS-1 Heat Aware Card
 2.12" x 3.38"

Heat cards are a portable, wearable and inexpensive method of temperature tracking, making them a vital part of every heat safety program. Keeping your workers safe demands constant vigilance, as weather and worker conditions can change rapidly. The surest way of instilling this vigilance is giving everyone a tool they can use to monitor temperature. That includes safety personnel, supervisors and every worker who will be in the heat.

Temperature-monitoring heat cards are embedded with liquid crystals that respond as the temperature changes. It's a solution that fits perfectly on any worksite, and heat cards can be customized with company branding and essential reference information.

For more information on Heat Stress Management Solutions please visit www.HeatAware.com.

CEMEX

**Take Five
Hazard
Assessment**

STOP THINK ACT

Jobsites


[illegible]


CEMEX

JOB HAZARD ANALYSIS

TAKE 5 TOGETHER!

Zero4Life





ZERO TOLERANCE RULES



- Lockout/Tagout/Tryout Policy • Drug and Alcohol Policy
- Working at Heights Policy • Mixer Rollover Policy

CRITICAL SAFETY RULES












































1. Do not walk/run under a suspended load
2. Do not work on electrical equipment without proper safety approved equipment on electrical equipment
3. Do not operate a piece of mobile equipment or temporary vehicle without wearing a seat belt (or an equipment)
4. Do not operate a piece of equipment that has been tagged for repairs, or remove or tag away from a piece of equipment without authorization.
5. Do not enter a Permit Required Confined Space in violation of the CEMEX Policy.
6. Do not operate a piece of mechanical equipment during normal operations with guarding, safety latches or interlocks, removed or disabled.
 *Normal operations are during production, direct use and maintenance (i.e. machine is locked out)
7. Do not cut, or, read-a-head while operating any vehicle, including mobile equipment, unless it is brought to a complete stop in an unpopulated area.
8. Do not place a hand (or any body part) in or on a rotating item during normal operations.

"May Right To Refuse Unsafe Work"

- I am required to refuse work that I believe to cause harm to myself or others
- "I will report to my supervisor and/or safety issues to my supervisor immediately"
- I promise to work safely at all times

READY MIX DRIVERS JOBSITE TAKE 5 HAZARD ASSESSMENT

Location/Jobsite:		Date:															
ROAD LAYERS																	
																	
CONCRETE WORK																	
																	


Other: Specify _____

To the extent possible, all hazards must be corrected before working.
Any hazard that cannot be corrected must be flagged or reported.

Have you corrected, flagged or reported all the hazards identified above? YES NO

If NO, please report to your supervisor and await further instruction.

[illegible][illegible]



**ASSAULT RIFLE
WORKPLACE SAFETY RECORD**

Assault Rifle
Workplace Safety Record


Date: _____ Class: _____

Completed Period(s): _____

BASIC SAFETY CHECKLIST		
<input type="checkbox"/> Wear a Hat <input type="checkbox"/> Remove Obstructions from Bertha <input type="checkbox"/> Wear Safety Glasses <input type="checkbox"/> Use of Gun Safely <input type="checkbox"/> Control and Cartridge Area <input type="checkbox"/> Aim <input type="checkbox"/> Gun Control Operations <input type="checkbox"/> Gun Safety	<input type="checkbox"/> Gun Wear Safety Glasses <input type="checkbox"/> Load <input type="checkbox"/> Feeding, Magazine, and Ammunition <input type="checkbox"/> Magazine and Cartridge <input type="checkbox"/> Performance Area <input type="checkbox"/> Gun Safety <input type="checkbox"/> Personal Protective Equipment	<input type="checkbox"/> Gun Safety <input type="checkbox"/> Gun Safety <input type="checkbox"/> Gun Safety <input type="checkbox"/> Gun Safety <input type="checkbox"/> Gun Safety <input type="checkbox"/> Gun Safety <input type="checkbox"/> Gun Safety

Completed Period(s) Covered: _____

Completed Period(s) Covered: _____

[illegible]

BOOKS, CARDS, FORMS, TRAINING

CF-001: Site Specific Hazard Training
8.5" x 11"


CF-002: Work Authorization Form
8.5" x 11"

CF-005: DVIR Form
5.5" x 8.5"

BK-012: Roadside Breakdown
5.5" x 8.5"



BK-011: Safe-Tipping Brochure
3.34" x 8.5" Trifold
See also CS-192 Safe Tipping Sign, And CP-007 Safe Tipping Poster.



BK-002: Employee Safety Handbook
5" x 7"



BK-004: Supervisor's Safety Handbook
8.5" x 11"

CF-006: Safety Improvement Card
5.5" x 3.5" Pads are in 25 sheet pads

CTAG-001: Maintenance Transfer Tag
3.375" x 5.875"

CTAG-002: Hot Work Permit Tag
6" x 9"

CF-010: Aggregate Daily
5.5" x 8.5"

CF-011: Crane Pre-Op
5.5" x 8.5"

CF-013: Man Lift Pre-Op
8.5" x 11"

CF-014: Locomotive Daily
5.5" x 8.5"

CF-015: Daily Op Mobile
5.5" x 8.5"

APPAREL / MILESTONE



Lightweight soft-shell performance knit fabric (160gr/m² is 100% moisture-wicking polyester with micro-fleece inside to keep you comfortable and dry.

A-M Cemex Logo Jacket



A-M Cemex Camo Hoodie



A-M Cap Stars & Stripes



A-M Cap Charcoal Green Mesh



A-M Cap Black Camo



A-M Cap Black Gray



A-M Cap Camo/Orange Logo



A-M Cooling Towel Gaiter



A-M Cemex Branded Safety Glasses



A-M Cemex Monster Tee



Agave	Caviar	Crimson	Dorado	Deep Water	Camo
Maroon	Mahi Mahi	Marine	Mesquite	White	

A-M Gameguard Shirts



A-M Milestone Polos



A-M ANSI Polos



A-M Monster Lunch Bag



A-M Cemex Travel Tumbler



A-M Cemex Koozie



A-M Cemex Monster Koozie

Recognition for achieving a milestone is great positive reinforcement.
All of our items can be customized with a location name and milestone information.



The signs and decals displayed in this catalog represent the most requested. We create custom signs for plants, terminals and quarries also.

Give us a call with your custom sign requests at 713-228-9331. Pricing does not include shipping & handling.

All signs are printed, laminated and round cornered on 0.080 aluminum.

Reflective Signs offer greater visibility in low-light conditions and adhere to these specs:

- Printed on 3M Reflective vinyl film, laminated and mounted to 0.080 Round Cornered Aluminum



Order from: Carroll Printing & Promotions

713-228-9331 | Bryan@CarrollPrinting.com

Signs can also be ordered online at: [carrollprinting.com>shop](http://carrollprinting.com/shop)