



A CRH COMPANY

SIGNS AND DECALS

FOR THE MANAGEMENT OF SITE CONTROL.

2024



To increase visibility in a variety of conditions, we recommend using reflective material on a majority of signs where applicable.




All signs are available in English and/or Spanish

100 YEARS


Order from: Carroll Printing & Promotions

713-228-9331 | CarrollPrinting.com | Ike@CarrollPrinting.com | Bryan@CarrollPrinting.com

FACILITY FRONT




CS-001: Welcome To __ Plant
84"x60"
Includes 4 sets of magnetic numbers 0-9




CS-124: Climbing Access Panel
96"x48"




CS-152: Downtown Plant
96"x48"




CS-002: Notice PPE Required
48"x48"



CS-151: Pyro PPE
A: 24"x36" | 36" x 48"



CS-007: Health Safety Tanker
36"x60"



CS-123: Tanker Drivers
36"x48"



CS-004: Welcome To Facility ES
48"x36"




CS-080: Drive Safely
36"x24" | 60" x 36" | 96" x 48"



CS-207: In-Bound Truck Entrance
96"x48"




CS-005: Don't Forget To GOAL
60"x36"



CS-006: Days Without Injury
60"x36"
Includes 4 sets of magnetic numbers 0-9



CS-008: Site Safety Rules ES
60"x36"



CS-129: Caution Loader Has Right ES
72"x36"

TRAFFIC / PARKING



CS-014: All Visitor Back In
24"x36"



CS-149: Slow Safety Bumps
24"x36"



CS-191: First Motion Forward
18"x24"



CS-195: Stop Look Listen
18"x24"



CS-170: Stop Listen Railcars
18"x18"




CS-026: Speed Limit 5
18"x24"



CS-023: Visitor Parking
24" x 36"



CS-171: Employee Parking
24" x 36"



CS-024: Visitor Vendor Park
24" x 36"



CS-034: Enter Only
12"x18"



CS-035: Exit Only
12"x18"



CS-036: Exit Only
18"x12"



CS-196: Keep Right
18"x24"



CS-197: Keep Left
18"x24"



CS-234: Wrong Way ES
18"x24"



CS-022: Loader Has Right Of Way
24"x18"



CS-025: One Way Arrow
18"x6"



CS-178: No Parking
24" x 36"



CS-229: Left Hand Traffic ES
18"x24"



CS-120: No Trespassing Camera
24"x36"



CS-253: No Trespassing ATVs
18"x24"



CS-259: STOP Check Gangway
48"x48"




CS-260: STOP Secure Gangway
19"x22"


PEDESTRIAN



CS-031: Caution Heavy Equipment
12"x18"



CS-032: Caution Fork Lift Area
12"x18"



CS-033: Caution Trucking Area
12"x18"



CS-135: Pedestrian Traffic
18"x24"



CS-099: Wrong Way
18"x18"



CS-156: STOP
18"x18"



CS-132: Stop Here Pedestrian
18"x18"



CS-157: Stop Watch For Pedestrian
18"x18"



CS-097: YIELD
18"x18"



CS-168: Do Not Enter
18"x12"



CS-134: Pedestrian Crossing
18"x18"



CS-160: Speed Bumps Ahead
24"x24"



CS-158: Rail Road Crossing Circle
24" dia



CS-179: Caution Right
18"x18"



CS-180: Caution Left
18" x 18"



CS-181: Caution Bicyclists
24"x24"



CS-137: Caution Pedestrian Crossing
24"x18"



CS-138: Caution Slow Ped Traffic
24"x18"



CS-136: Warning Door Not Ped
24"x18"



CS-139: Slow Watch For Peds
18"x24"

SITE MANAGEMENT



CS-193: Caution No Berm
24"x24"



CS-140: Slow Proc Caution
18"x24"



CS-141: Slow Dang. Intersec
18"x24"



CS-176: Caution Ped Xing
18"x24"



CS-130: STOP Contact Oper
24"x36"



CS-143: Seat Belts Must Be
24"x36"



CS-142: Indicator Light
24"x36"



CS-144: Sweeper Right Way
24"x36"



CS-145: Caution Speed Bumps
24"x36"



CS-146: Danger RR Crossing
24"x36"




CS-148: Slow High Traffic
24"x36"



CS-147: Not A Thruway
36"x24"




CS-165: Chute Wash Area
24"x24"



CS-182: Orange Material Sign
48"x36"



CS-150: Shut Off Fuel Pump
18"x18"



CS-166: Noise Level In This Area dBA
18"x18"



CS-155: Stop Back Up Go
24"x24"



CS-020: No Food Drink Smoke Phone
24"x18"



CS-021: Tobacco Free Workplace
24"x18"



CS-216: Desig Smoke Extinguish
10"x14"



CS-217: Desig Smoking Area
10"x14"



CS-243: No Smoking
14"x10"



CS-220: Handicap Parking
10"x14"



CS-221: No Parking ES
24"x36"




CS-247: First Aid Kit
18"x24"

SITE MANAGEMENT



CS-009: Attention Tap Horn
36"x24"




CS-010: Mine Office Must Sign In
36"x24"



CS-011: Ready Mix Office Sign In
36"x24"



CS-018: Vendor Safety Parking
18"x18"



CS-219: First Motion Wheel Chock
14" x 12"



CS-227: All Visitor/Vendor Check In ES
24" x 18"



CS-228: Drivers Do Not Exit ES
24" x 18"



CS-231: No Truck Beyond ES
24" x 18"



CS-027: Silo Fly Ash C
12"x18"



CS-028: Cement 10lb Blue
12"x18"




CS-029: Silo Fly Ash F Red
12"x18"



CS-030: No Swimming
12"x18"



CS-187: Area Closed No Swimming
18"x12"



CS-125: Em Life Buoy
24"x36"



CS-167: PFD Required
18"x24"



CS-012: One Truck Slump
24"x36"



CS-015: No Trespassing
24"x36"



CS-188: Fall Use Handrail
12"x18"



CS-249: PPE Guy
48"x72"



CS-242: Entering OSHA Prop.
18" x 24"



CS-232: Do Not Litter ES
18" x 24"



CS-233: Restricted ES
18" x 24"



CS-019: AGG Trucks
24"x24"



CS-183: Evacuation Assembly Point
36"x24"

SITE MANAGEMENT



CS-038: Battery Charging
14"x10"



CS-039: Battery Storage
14"x10"



CS-048: Lock Out Red
14"x10"



CS-077: Drum Storage Rules
14"x10"



CS-073: Used Oil Storage
14"x10"



CS-153: Scrap Metal Only
14"x10"



CS-116: Antifreeze
14"x10"



CS-117: Hydraulic Oil
14"x10"



CS-121: Motor Oil Only
14"x10"



CS-122: PPE Free Zone
14"x10"



CS-106: Compressed Gas
14"x10"



CS-108: Valve Caps Must
14"x10"



CS-065: Emergency Eye Wash
10"x14"



CS-066: Em. Shower Eye Wash
10"x14"




CS-067: Em. Eye Wash
10"x14"



CS-109: Empty Cylinders
10"x14"



CS-110: Full Cylinders
10"x14"



CS-111: Main Entrance Arrow
18"x6"



CS-113: Main Office Arrow
18"x6"




CS-198: Get A Grip - Sign
10"x14"



CS-169: DEF
14"x10"



CS-013: Camera Surveillance
24"x36"



CS-240: Acetylene
12"x18"



CS-241: Oxygen
12"x18"




CS-017: All Visitors Sign In
18"x12"



CS-172: High Five Eric P
48"x48"

SITE MANAGEMENT



CS-251: Look Check Racks
19" x 22"



CS-255: People First Keep Safe
48" x 72"



CS-256: Set Parking Brake
12" x 18"



CS-257: Severe Weather Shelter
10" x 14"



CS-263: Emerg Equip Storage
10" x 14"




CS-285: Evacuation Route
18" x 18"




CS-266:
Restroom
6" x 10"



CS-261: Welcome Drivers PPE
24" x 36"



CS-262: Whip Check Instructions
10" x 14"



CS-271: Push Pole Close Lids
14" x 10"



Site Route Map
96" x 48"


Custom Site Maps are a great tool for:

- Directing visitors, vendors, contractors, and emergency vehicles to precise location
- Showing specific buildings, locations on site
- Creates safer, more efficient work environment


SITE MANAGEMENT




CS-223: Pneumatic Rack Safe Instruction ES
36" x 30"



CS-224: Pneumatic Rack Safe Rules ES
60" x 36"



CS-112: Mirror Check Station
36" x 36"



CS-161: Mirror Sign
18" x 24"



CS-235: Our Commitment To
72" x 48"



CS-244: Tanker Pressure Release
36" x 24"



CS-245: All Drivers Stop
36" x 24"




CS-290: Hazardous Waste Storage
24" x 36"




CS-175: Fire Extinguisher
6" x 18"


SITE MANAGEMENT



CS-286: No Zone
30" x 30"




CS-287: No Zone FAQ
30" x 30"




CS-288: No Zone Safe Practice
30" x 30"


WORKING AT HEIGHTS




CS-276: Do Not Stand Slump
36" x 24"




CS-279: Do Not Stand Agg
36" x 24"



CS-280: Do Not Stand Loader
36" x 24"



CS-281: Do Not Stand Mixer
36" x 24"



CS-282: Do Not Stand Tanker
36" x 24"



CS-273: Slump Rack Rules
36" x 24"


SITE MANAGEMENT



CS-274: Power Lines
48" x 48"




CS-293-1: Why We're Safe
48" x 48"




CS-293-2: Why We're Safe
48" x 48"



CS-293-3: Why We're Safe
48" x 48"



CS-192: Safe Tipping Main E/S
48" x 48" | 72" x 48"




CS-258: Standing On Loads Raised Beds Prohibited ES
36" x 36" | 96" x 48"




NOTICE



CS-046: Notice Use Handrails
14" x 10"



CS-050: Remember Lock Out
14" x 10"



CS-052: Notice Use Lock Out
14" x 10"




CS-057: Notice Respirators Must
14" x 10"



CS-071: Notice Must Wear Ear
14" x 10"



CS-076: Notice Drums
14" x 10"



CS-199: Notice Turn Off Engine
14" x 10"



CS-246: PPE Required ES
72" x 48"




CS-250: Notice Authorized Only
14" x 10"



CS-173: Notice Drivers Stay In Cab
18" x 12"



CS-063: Notice Respirators English
10" x 14"



CS-209: Notice PPE Required
10" x 14"



CS-230: Notice Drivers Stay In Cab ES
18" x 24"



CS-272: Notice Unbermed Roadway
18" x 12"



CS-252: Notice Camera Check Clearance
12" x 18"



CS-118: Attention Stay In Truck
36" x 36"



CS-037: Attention For Your Safety Brake
36" x 36"

CAUTION



CS-126: Caution Industrial
18" x 12"



CS-127: Caution Mining Dump Truck
18" x 12"



CS-128: Caution Mining Backhoe
18" x 12"



CS-043: Caution Corrosive
14" x 10"



CS-044: Caution When Servicing
14" x 10"



CS-045: Caution Use Handrails
14" x 10"



CS-056: Caution Respirators Required
14" x 10"



CS-060: Caution Eye Hazard Risk
14" x 10"



CS-062: Caution Dust Hazard
14" x 10"



CS-070: Caution Hearing Protection
14" x 10"



CS-074: Caution Hazardous Waste
14" x 10"



CS-089: Caution Confined Space
14" x 10"



CS-092: Caution N-P Conf. Space
14" x 10"



CS-177: Caution High Dust
14" x 10"



CS-184: Caution Fall Hazard
18" x 12"



CS-201: Caution Cardox In Use
14" x 10"



CS-264: Caution Public Highway B/Y
48" x 48"



CS-003: Do Not Operate W/O Guard
10" x 7"



CS-133: Do Not Operate W/O Guard ES
7" x 10"



CS-277: RR Low Ground Clearance
18" x 18"

CAUTION



CS-186: Caution Fall Hazard
18" x 12"



CS-103: Caution Conveyors Start
14" x 10"



CS-104: Caution Do Not Walk Under
14" x 10"



CS-211: Caution Tripping Hazard
14" x 10"



CS-202: Caution Mask Required E/S
11" x 17"



CS-203: Caution Foul Point Cars
10" x 14"



CS-226: Caution Ped Crossing ES
10" x 14"



CS-248: Slippery When Wet
18" x 12"



CS-213: Caution Enter Scale Slowly
14" x 10"



CS-218: Caution Watch Your Step
14" x 10"



CS-214: Caution Overhead Conveyor
14" x 10"



CS-047: Authorized Personnel Only
14" x 10"



CS-119: Caution Icy Stairs Handrails
10" x 14"



CS-131: Caution PPE Required
36" x 24"



CS-208: Loader Has Right Of Way
48" x 36"



CS-265: Pedestrian Stockpile Aware
36" x 24"



CS-284: Double Hearing
12" x 12"



CS-267: Spill Kit
14" x 10"

WARNING



CS-061: Warning Dust Hazard
14" x 10"



CS-068: Warning Loud Noises
14" x 10"



CS-069: Warning High Noises
14" x 10"



CS-095: Warning High Voltage
14" x 10"



CS-096: Warning Haz Voltage
14" x 10"



CS-101: Warning Exposed Parts
14" x 10"



CS-100: Warning Moving
14" x 10"



CS-115: Warning Loud Noise
12" x 18"



CS-189: Warning Fall Hazard
14" x 10"



CS-051: Warning Lock Out Tag Out
14" x 10"




CS-059: Warning Eye Hazard Risk
14" x 10"



CS-210: Warning Entanglement
12" x 18"



CS-275: Warning Hazard Assessment
16" x 16"



CS-114: Blasting Protocol
96" x 48"

DANGER



CS-040: Danger Corrosive Liquids
14" x 10"



CS-041: Danger Explosive Hazard
14" x 10"



CS-058: Danger Eye Hazard
14" x 10"



CS-072: Danger Haz Waste Storage
14" x 10"



CS-075: Danger Hazardous Waste
14" x 10"



CS-078: Danger Gasoline
14" x 10"



CS-079: Danger Flammable
14" x 10"



CS-042: Danger Battery Charging E/S
14" x 10"



CS-049: Danger Risk Serious Injury
14" x 10"




CS-055: Danger Hazardous Vapor
14" x 10"



CS-215: Danger HighVoltage 4160
18" x 12"



CS-053: Danger Lock Out tag Out
14" x 10"



CS-269: Danger Risk Serious Injury
11" x 7"



CS-254: Danger Authorized Service
10" x 7"



CS-268: Danger Mining Blasting
14" x 10"



CS-270: Flammable 1993-3
12" x 12"

DANGER



CS-016: Danger Deep Water
36" x 24"



CS-205: Danger Tower Plug
24" x 14"



CS-206: Danger Air Compressor
14" x 10"



CS-081: Danger Diesel Fuel
14" x 10"



CS-082: Danger Propane
14" x 10"



CS-105: Danger/Smoking/Flames
10" x 14"



CS-087: Danger Permit Required
14" x 10"



CS-204: Danger Do Not Enter E/S
14" x 10"



CS-084: Danger Diesel Fuel
10" x 14"



CS-085: Danger Propane
10" x 14"



CS-086: Danger Gasoline
10" x 14"



CS-159: Danger Ammonia
10" x 14"



CS-174: Danger Hydraulic Oil
10" x 14"



CS-194: PPE Required Am.
10" x 14"



CM-003: LOTOTO Magnet
12" x 12"

DANGER



CS-088: Danger Confined Space
14" x 10"



CS-090: Danger Confined Space
14" x 10"



CS-091: Danger Confined Space
14" x 10"



CS-239: Danger 480 Volts
14" x 10"



CS-093: Danger Elec Haz E/S
14" x 10"



CS-094: Danger Elec Haz
14" x 10"



CS-098: Dan High Voltage
14" x 10"




CS-102: Danger Keep Off
10" x 14"



CS-185: Danger Fall Hazard
14" x 10"



CS-190: Danger Fall Hazard
14" x 10"



CS-107: Danger Comp Gas
14" x 10"



CS-054: Danger LOTOTO E/S
14" x 20"



CS-083: Dan Diesel Fuel ES
14" x 20"



CS-154: Danger Keep Out
24" x 36"



CS-163: Danger Radiation
24" x 36"



CS-162: Dang Overhead Lines
48" x 48"



CS-164: Danger Open Pit
36" x 24"



CS-237: Pinch Point ES
10" x 14"



CS-238: Keep Hands Clear ES
10" x 14"



CS-278: Danger Automated
24" x 36"


SOLAR-POWERED SIGNS




CS-134S: Solar-Powered Pedestrian Crossing
30" x 30"



CS-156S: Solar-Powered STOP
30" x 30"



Solar-Powered Signs Stand Mobile




Solar-Powered Signs Stand Fixed



DECALS



CD-001: No Food, Drink, Smoke, Phone Window
3" x 2"



CD-003: General Hazard Statement (GHS)
7" x 5"



CD-002: Fire Extinguisher
4" x 4"




CD-013: Caution Heavy
3.5" x 2"




CD-175: Fire Extinguisher
6" x 18"




CD-019: Danger Flamm
Liquid
5" x 3"



CD-020: Diesel Fuel
Rating
5" x 3"




CD-021: Gasoline Rating
5" x 3"



CD-025: Hydraulic Fluid
5" x 3"



CD-030: Caustic Soda
5" x 3"



CD-031: Aluminum
Sulfate
5" x 3"



CD-022: Potable Water
5" x 3"



CD-023-6: Mind Before
Hands
6" x 6"



CD-011: Warning Danger
Zone
10" x 6"



CD-012: Warning Danger
Zone
8" x 11"

HARD HAT ESSENTIALS



CD: Safety Trained Decal
2"



CD-008: Tying-Off Height
2.5"



CD-009: New Bee
2.5"



CD-024: Mind Hands
2.5"

DECALS



CD-028: 480 High Voltage
5" x 3"



CD-029: High Voltage
5" x 3"



CD-036: Danger 480 Volts
LOTOTO
4" x 2"



CD-037: Danger Hot Pipes
7" x 5"



CD-018: Danger Diesel Fuel
14" x 10"



CD-215: Danger High Voltage
4160
18" x 12"



CD-014: AIR
CD-015: Water
6" x 2"



CD-034: Get A Grip - Triangle
6" x 5"



CD-042: Window Parking - Decal
3" x 3" Sequentially numbered



CD-114: Get A Grip - Reflective
24" x 4"

FLOOR DECALS



CD-026: Watch Your Step
11.5" x 3"



CD-023-12: Mind Before
Hands
12" x 12"



CD-027: Forklift Traffic
24" x 24"



CD-039: Glasses Boots
Required
18" x 6"



CD-040: Glasses Required
12" x 12"



CD-041: Back In
Parking Stop
36" x 3"

Floor Decals are produced on a premium textured vinyl that is slip resistant, secure and chemical resistant. Ideal for concrete, linoleum, porcelain, wall and floor surfaces.

BANNERS




CB-002: Slip Trip Fall
72" x 48"



CB-003: Raise Platform Banner
72" x 48"




CB-004: Safety Is Everyone's Responsibility
72" x 36"



CB-005: Line Of Fire
72" x 48"



CB-007: LOTOTO
60" x 36"



CB-008: Take 5 Hazard Assessment
42" x 28"



CB-010: Ash Grove Site Flag
72" x 48"

POSTERS



CP-001: Essentials All
24" x 36"




CP-002: Essentials Safety
24" x 36"




CP-003: Essentials Driving
24" x 36"




CP-004: Essentials Health
24" x 36"




CP-005: Lock Out Tag Out
24" x 36"




CP-006: Working At Heights
24" x 36"




CP-007: Safe Tipping
24" x 36"



CP-008: Oxy-Acetylene Inspection
24" x 36"



CP-012: Eric-P Least-Most
24" x 36"



CP-013: Eric-P Identify
36" x 24"

HEAT STRESS MANAGEMENT

Heat Aware®

"Your Heat Stress Management Solution"

HEAT STRESS MANAGEMENT SYSTEM SISTEMA DE MANEJO DE CALOR

SIGNS OF SENALES DE	
HEAT EXHAUSTION AGOTAMIENTO POR CALOR	HEAT STROKE ATAQUE DE CALOR
- Dizziness & Fainting Mareos Y Desmayos - Excessive Sweating Sudoración Excesiva - Rapid, Weak Pulse Pulso Rápido Y Débil - Nausea Or Vomiting Náuseas O Vómitos - Cool, Pale Clammy Skin Piel Pálida Fría Y Humeda - Muscle Cramps Calambres Musculares	- Throbbing Headache Dolor De Cabeza Palpitante - No Sweating Falta De Sudoración - Rapid, Strong Pulse Pulso Rápido Y Fuerte - Nausea Or Vomiting Náuseas O Vómitos - Red, Hot Dry Skin Piel Seca Roja Y Caliente - May Lose Consciousness Puede Perder La Conciencia



FIRST AID | PRIMEROS AUXILIOS

- Have worker sit or lie down in a cool, shady area Haga que el trabajador se siente o se acueste en un área fresca y sombreada - Give worker plenty of water Déle al trabajador mucha agua u otras bebidas frescas para beber - Cool worker with cold compress/ice packs Enfría el trabajador con compresas frías / bolsas de hielo - Take to clinic or emergency room for medical evaluation or treatment Llévelo a la clínica o sala de emergencias para una evaluación o tratamiento médico si los signos o síntomas empeoran o no mejoran en 60 minutos - Do not return to work that day No vuelva a trabajar ese día	- Call 911 Llame al 911 - While waiting for help, place worker in a shady, cool area Mientras espera la ayuda, coloque al trabajador en un lugar fresco y sombreado - Loosen clothing, remove outer clothing Afloje la ropa, quite la ropa exterior - Fan air on worker; cold packs in armpits Ventíle aire sobre el trabajador; compresas frías en las axilas - Apply ice packs, cool compresses, or ice if available Moje el trabajador con agua fría; aplique compresas de hielo, compresas frías o hielo si está disponible - Provide water as soon as possible Proporcione líquidos (preferiblemente agua) tan pronto como sea posible - Stay with worker until help arrives Quédese con el trabajador hasta que llegue la ayuda
--	---

AMBIENT TEMPERATURE TEMPERATURA AMBIENTAL	% RELATIVE HUMIDITY HUMEDAD RELATIVA									
	0%	10%	20%	30%	40%	50%	60%	70%	80%	90%
120° F	107	116	130	148						
115° F	103	111	120	135	151					
110° F	99	105	112	123	137	150				
105° F	95	100	105	113	123	135	149			
100° F	91	95	99	104	110	120	132	144		
95° F	87	90	93	96	101	107	114	124	136	
90° F	83	85	87	90	93	96	100	106	113	122
85° F	78	80	82	84	86	88	90	93	97	102
80° F	73	75	77	78	79	81	82	85	86	88
75° F	69	70	72	73	74	75	76	77	78	79
70° F	64	65	66	67	68	69	70	70	71	71


For accurate readings this sign **MUST** be displayed in shade. | Para lecturas precisas, este letrero **DEBE** exponerse en la sombra.

Are You Hydrated? Take the Urine Color Test ESTAS HIDRATADO? TOMA LA PRUEBA DE COLOR DE ORINA

	Optimal	Óptimo
	Well Hydrated OK	Bien Hidratado Bueno
DEHYDRATED	Dehydrated You need to drink more water	Deshidratado Necesita beber más agua
	Severely Dehydrated Seek Medical Aid: Drink water immediately Some vitamins and supplements may cause darkening of the urine unrelated to dehydration. *This does not test for disease	Muy Deshidratado Obtenga Asistencia Médica: Beba agua inmediatamente Puede indicar sangre en la orina o una enfermedad renal Algunas vitaminas y suplementos pueden causar un oscurecimiento de la orina no relacionado con la deshidratación. *Este gráfico no prueba un diagnóstico

WORK TO REST / FLUID INTAKE TRABAJO A DESCANSO / CONSUMO DE AGUA

TEMP.	WORK/REST*	FLUID INTAKE PER HOUR
<91°F	Not Restricted No restringido	As needed Según sea necesario
91° to 103°F	Rest about 10 min/hr Descanse unos 10 min/h	About 12-24 ounces Aproximadamente 12-24 onzas
103° to 115°F	Rest about 10 min/hr — light work Descanse unos 10 min/h — trabajo ligero Rest about 20 min/hr — heavy work Descanse unos 20 min/h — trabajo pesado	About 24-36 ounces Aproximadamente 24-36 onzas
≥ 115°F	Use extreme caution. Take fluids, rest and shade breaks as often as needed. Tenga mucho cuidado. Tome líquidos, pausas y descansos en la sombra cada vez que lo necesite.	



Place index alert here.

TODAY'S ESTIMATED HEAT INDEX ALERT
INDICE DE CALOR ESTIMADO PARA HOY



A CRH COMPANY

www.heataware.com



Scan code for more detailed information concerning heat-related issues

Escanee el código para obtener información más detallada sobre problemas relacionados con el calor

YELLOW

Heat Index less than 91°F

LIGHT ORANGE

Heat Index 91°F—103°F

DARK ORANGE

Heat Index 103°F—115°F

RED

Greater than 115°F

Index Alert Magnets

HSMS-1 Heat Stress Management System
42" x 28"

The Heat Stress Management System Signs present vital graphic cues to raise awareness of and prevent heat related illness. They are available in two sizes and are appropriate for any cool-down areas around your facility, inside or out. Must be displayed in the shade, to get an accurate thermometer reading.

Comes with 4 different colored magnets to set the tone for the Heat Stress Range of the day.

For more information on Heat Stress Management Solutions please visit www.HeatAware.com.

The Ash Grove branded Heat Aware Card®

ASH GROVE

A CRH COMPANY

Tips For Heat Awareness

- Stay Hydrated, drink plenty of fluids.
- Pace your self when working in the heat.
- Take short frequent breaks.
- Wear lightest clothing possible under FRCs.
- Minimize your sun exposure.
- If you are not well report to your supervisor.

115+

110

105

100

95

90

IN CASE OF HEAT ILLNESS
OR HEAT STROKE, CALL 911

Know the Signs!

Heat Stress	Recognition	Treatment
Heat Cramps	Intense pain caused by an involuntary muscle contraction, usually but not always occurring in the calf or other leg muscles.	Rehydrate with cool water, replace sodium with salty foods, snacks, or an electrolyte beverage. Light stretching and massaging the muscle.
Heat Exhaustion	Difficulty continuing physical work in the heat, Dehydration, Dizziness, Fainting, Vomiting, headache, Cold pale skin.	Rest in cool, shaded place. elevate legs above the heart, rehydrate with cool water and/or electrolyte beverage.
Heat Stroke	Altered Consciousness, Coma, Convulsions, Disorientation, Irrational Behavior, Nausea, Vomiting, Hot Dry Skin, Increased Heart Rate.	Call 911 or on site emergency. Initiate whole body cooling via cold-water immersion or cold, wet towels. Then transport to a medical facility.

For more information go to www.heataware.com

Made in North America

© 2011 Carroll Business Forms and Printing Company, Inc. All rights reserved.

713-228-9331

Heat Aware

www.heataware.com

The liquid crystal thermometer registers the ambient temperature every 20 seconds ± 1 degree.

Available in packs of 25

HATS-1 Heat Aware Card
2.12" x 3.38"

Heat cards are a portable, wearable and inexpensive method of temperature tracking, making them a vital part of every heat safety program. Keeping your workers safe demands constant vigilance, as weather and worker conditions can change rapidly. The surest way of instilling this vigilance is giving everyone a tool they can use to monitor temperature. That includes safety personnel, supervisors and every worker who will be in the heat.

Temperature-monitoring heat cards are embedded with liquid crystals that respond as the temperature changes. It's a solution that fits perfectly on any worksite, and heat cards can be customized with company branding and essential reference information.

For more information on Heat Stress Management Solutions please visit www.HeatAware.com.

24

BOOKS, CARDS, FORMS, TRAINING

Safe Maintenance Work-Zones for Vehicle Breakdowns

Roadside, Job Site, and Plant



ASH GROVE
A CRH COMPANY

BK-012: Roadside Breakdown
5.5" x 8.5"

ASH GROVE
A CRIE COMPANY

**Safe
Dumping/Unloading
Guidance for Drivers**

BK-011: Safe-Tipping Brochure
3.34" x 8.5" Trifold

See also CS-192 Safe Tipping Sign, And CP-007 Safe Tipping Poster.

A diagram illustrating the 'No Zone' for a truck. A truck is shown from a top-down perspective, positioned within a red dashed oval. The oval is labeled 'THE NO ZONE' at both the front and rear of the truck. Yellow arrows point outwards from the truck, indicating the area of concern. To the right of the truck, there are three traffic signs: a 'Keep Clear' sign (a red circle with a white diagonal bar), a 'No Entry' sign (a red circle with a white horizontal bar), and a 'No Stopping' sign (a red circle with a white diagonal bar). Below these signs is a yellow banner with the text 'No Stopping' and a yellow triangle with a black exclamation mark.

SAFEDUMPING/UNLOADING QUESTIONS FOR DRIVERS

- ✓ Do you have appropriate training and experience to operate the vehicle?
- ✓ Do you have a site induction?
- ✓ Do you need a refresher?
- ✓ Do you assess the dumping area before discharging?
- ✓ Do you adopt a 50-foot exclusion zone around your vehicle and ensure that any people and/or mobile equipment operators remain clear during dumping?
- ✓ Do you only dump on firm and level ground away from overhead power lines & other obstructions?
- ✓ Do you ensure the tailgate is released prior to dumping?
- ✓ Do you ensure bed is down before leaving area after unloading?
- ✓ If driving an articulated vehicle, do you ensure that the trailer is aligned with the tractor unit while dumping?
- ✓ Do you remain in the vehicle during dumping (unless the controls are located externally) with the seat belt fastened?
- ✓ Do you ensure your vehicle is loaded evenly along the full length of the trailer within its legal capacity?
- ✓ Do you wear the correct PPE?
- ✓ If you have any concerns regarding a delivery site, do you inform your line manager / site contact to agree on the best course of action?
- ✓ If you are unsure do you ask for assistance?
- ✓ If you need assistance in reversing, do you ask?
- ✓ If it isn't safe – Do Not Proceed!







Good

Better

Bad









Good

Bad

Soft Ground







SAFETY IMPROVEMENT CARD			
☐ Near Miss	☐ Hazard	☐ Unsafe Behavior(s)	☐ Improvement
Site name: _____			
Location: _____			
Brief description of incident and any actions taken: _____ _____ _____			
_____ _____ _____			
Near Miss: Incident without injury or damage but had the potential Hazard = Unsafe plant, equipment, substance etc. Positive Intervention: Looking after a colleague and changing unsafe behavior. Improvement: Idea to improve health and safety on the site			
		 Ash Grove an Ash Grove company Please turn over	

How could we eliminate the problem and improve health and safety?

When did we first see this?

Date & Time: _____

Reported by: _____

(Give name, title, location, phone number, if you ask
the manager you should find details and
contact with you.)

Further Action Required: YES _____ / NO _____
(To be filled out by the site SUPERVISOR / MANAGER)

Action taken: _____

LOOK AFTER YOURSELF, LOOK AFTER EACH OTHER,
Don't walk, you just may save a life today!

Form CP-404 (REV) 10-12

CF-006: Safety Improvement Card
5.5" x 3.5" Pads are in 25 sheet pads

 CAUTION DO NOT LOAD Maintenance Transfer Reason: _____ _____ Print Name: _____ Date: _____ DO NOT REMOVE TAG Fleet Maintenance Department	 PRECAUCION NO CARGAR Transferencia a Mantenimiento Motivo: _____ _____ Nombre: _____ Fecha: _____ NO REMOVER Departamento de Mantenimiento de Flota
--	--

CTAG-001: Maintenance Transfer Tag
3.375" x 5.875"

[illegible]

CTAG-002: Hot Work Permit Tag
6" x 9"

BOOKS, CARDS, FORMS, TRAINING

Site Specific Hazard Training

1. Review the site-specific hazard training materials and understand the hazards associated with the site.

2. Review the site-specific hazard training materials and understand the hazards associated with the site.

3. Review the site-specific hazard training materials and understand the hazards associated with the site.

4. Review the site-specific hazard training materials and understand the hazards associated with the site.

5. Review the site-specific hazard training materials and understand the hazards associated with the site.

6. Review the site-specific hazard training materials and understand the hazards associated with the site.

7. Review the site-specific hazard training materials and understand the hazards associated with the site.

8. Review the site-specific hazard training materials and understand the hazards associated with the site.

9. Review the site-specific hazard training materials and understand the hazards associated with the site.

10. Review the site-specific hazard training materials and understand the hazards associated with the site.

11. Review the site-specific hazard training materials and understand the hazards associated with the site.

12. Review the site-specific hazard training materials and understand the hazards associated with the site.

Signatures:

Supervisor: _____ Date: _____

Trainee: _____ Date: _____

CF-001: Site Specific Hazard Training
8.5" x 11"

WORK AUTHORIZATION

Job Description: _____

Safety Precautions: _____

Signatures:

Supervisor: _____ Date: _____

Worker: _____ Date: _____

CF-002: Work Authorization Form
8.5" x 11"

FLEET DVIR

Vehicle Information: _____

Inspection Checklist: _____

Signatures:

Driver: _____ Date: _____

Inspector: _____ Date: _____

CF-003: DVIR Form
8.5" x 11"

Aggregate Daily

Daily Operations: _____

Signatures:

Supervisor: _____ Date: _____

Operator: _____ Date: _____

CF-010: Aggregate Daily
5.5" x 8.5"

Crane Pre-Operational Checklist

Crane Information: _____

Signatures:

Supervisor: _____ Date: _____

Operator: _____ Date: _____

CF-011: Crane Pre-Op
5.5" x 8.5"

Man Lift Pre-Operational Checklist

Man Lift Information: _____

Signatures:

Supervisor: _____ Date: _____

Operator: _____ Date: _____

CF-013: Man Lift Pre-Op
8.5" x 11"

Locomotive Daily

Locomotive Information: _____

Signatures:

Supervisor: _____ Date: _____

Operator: _____ Date: _____

CF-014: Locomotive Daily
5.5" x 8.5"

Daily Op Mobile

Mobile Information: _____

Signatures:

Supervisor: _____ Date: _____

Operator: _____ Date: _____

CF-015: Daily Op Mobile
5.5" x 8.5"

APPAREL / MILESTONE

We offer all types of wearables and promotional items for milestone awards and for everyday use. Please take a look at the links below to view our preferred vendors.

Polo Shirts:

Vantageapparel.com



Jackets:

WhiteBearClothing.com



High-Viz Tees, Polos, and Jackets:

maxapparel.com



APPAREL / MILESTONE



Fishing Shirts and camo shirts:
gameguard.net



Skull Caps
In stock, ready to ship.



The signs and decals displayed in this catalog represent the most requested. We create custom signs for plants, terminals and quarries also.

Give us a call with your custom sign requests at 713-228-9331. Pricing does not include shipping & handling.

All signs are printed, laminated and round cornered on 0.080 aluminum.

Reflective Signs offer greater visibility in low-light conditions and adhere to these specs:

- Printed on 3M Reflective vinyl film and mounted to 0.080 Round Cornered Aluminum



100 YEARS

Order from: **Carroll Printing & Promotions**
713-228-9331 | Ike@CarrollPrinting.com | Bryan@CarrollPrinting.com